





Gait training has come a long way since we introduced our first model almost 30 years ago, and the Pacer continues to evolve and improve to meet our customers' needs. Over the years your suggestions have helped us keep our design at the cutting edge.

The Pacer, because it can be configured in so many ways, can accommodate clients of every ability, in any environment. It's the versatility and dependability you've come to expect from Rifton.

Find letters of medical necessity and informative articles at: www.rifton.com/pacer

students have a wide range of motor issues. Many need a gait trainer that allows them more freedom of movement. Sometimes with our old equipment, it seems like they're fighting against the device, but Rifton's dynamic Pacer allows and even shapes the natural movement that occurs with walking. It's fabulous.

Nikki Cornell, MPT Clovis Unified School District, CA

 The Pacer (dynamic shown here) is easily configured to meet your client's every need. Choose between dynamic and standard upper frames and pair them with standard, utility or treadmill/stability bases.



Pacer features

The six members of the Pacer family







(1) rifton





Why dynamic?

Walking is complex. When we talk about dynamic gait training we refer to the often unobserved but significant shifts of body and weight that occur in typical gait patterns. Rifton's dynamic Pacer allows the dynamic weight-bearing and weight-shifting needed for a natural gait pattern while providing the support necessary for correct posture.

The dynamic upper frame delivers 2" of vertical and horizontal movement with separate lock-out control for each.





Perfect positioning made easy

The single-column upper frame

features a locking gas spring that adjusts to any height on the indexed column.





Combining the fluid height adjustments of the MPS and upper frame brings the seat low enough for a transfer from the seated position.



Once the transfer is completed, caregivers raise the upper frame to bring the client into an upright position.



The Multi-Position Saddle (MPS)

is the ultimate pelvic positioning aid. Adjustable in five directions to accommodate each client's posture, the MPS easily attaches to both the dynamic and standard upper frames.





Using the height adjustment on the MPS, the caregivers raise the client's pelvis to the optimal height for weight-bearing and step-taking.



With the tilt adjustment on the MPS, the caregivers position the client's pelvis for the most effective gait pattern.

Infinite control for effective movement

The Pacer casters' five functions let you fine-tune the Pacer's movement as your clients gain control.


Standard base casters



Utility base front caster



Utility base rear wheel



A measurable improvement

The odometer, available as an option on every Pacer base, records a client's progress in feet or meters. No more counting tiles!

Front caster with odometer





Transportable

The detachable upper frame makes it easy to stow and transport the Pacer. Separable components allow you to bring the right base for each client and every setting.



Go minimal

The Pacer chest pad and handlebars form a lightweight configuration perfect for higher functioning users. Available for small, medium and large Pacer sizes, these components allow easy transfers and quick adjustment.







Posterior position



Posterior positioning is a natural progression towards independent movement, and it gives the users improved access to their environment.

Note: The standard base is recommended for posterior positioning. When the utility base is reversed, steering is more difficult and the directional lock feature will not work.

Reverse the MPS

The MPS has been designed to allow reverse positioning of the saddle, which enables gait practice with the frame in the posterior position. For instructions on how to place the MPS in the posterior position, visit <u>www.rifton.com/MPSposterior</u>.



Utility base

Easy rolling over thresholds or thick carpet (or even outdoors on gravel or grass) is possible with the large-wheeled utility base, letting you go places you never could before.



Grifton.

Treadmill/stability base



You can use your Pacer on the treadmill. This base straddles almost any treadmill and can be used with the large, medium and small upper frames. It's not just for treadmill use; overground it provides all the functions of our standard base but with increased width for better stability.



The treadmill/stability base has 7½" of height adjustment to compensate for the height of a treadmill.



Components



Dynamic upper frame provides dynamic weight-shifting and dynamic body-weight support, encouraging natural gait patterns.



Standard upper frame is a light-weight choice for clients who do not need dynamic movement.



0 0000



Grifton

Standard base Designed to be used on smooth surfaces. Caster size: 5½"

Utility base

For indoors or out, this base is the best choice for navigating thresholds, lawns, gravel paths or chipped playgrounds. No downhill though! Always be safe.

Caster/wheel size: front casters 8", rear wheels 111/2"

Treadmill/stability base

Designed to accommodate most treadmills, this base lets a client practice stepping on a treadmill before progressing to overground ambulation. It's also a good choice for clients who need a wider, more stable base for gait training.

Caster size: 5½"



Arm prompts

Versatile arm prompts allow height, rotation, angle, lateral proximity and forward/backward adjustments to accommodate numerous positioning requirements.

 Padded surface area
 Adjustment range

 small 4½"x 8"
 (elbow to fist): small 9"-12½"

 large 5"x 9"
 large 10½"-15"



Arm platforms

Arm platforms offer a simple alternative for clients who need less arm positioning. They attach to the adjustable arm prompt base and are made of closed-cell molded foam for padded comfort and easy cleaning.

Padded surface dimensions: 131/2"x 51/2"





Hand brakes

The hand brakes combine both running and parking brake functions in a simple leveraction control. The brakes attach to the arm prompts and can be quickly removed when not needed.

Note: Since retrofitting is complex, we recommend ordering brakes with the original purchase.





Hand loops

For less involved clients, hand loops are a simpler option for upper extremity support.





Chest prompt

The padded chest prompt holds the client's torso securely at the angle of your choice. It is available in three sizes.

 Range of circumference
 Pad height

 small 14"-28"
 small 4½"

 med 22"-40"
 med 6½"

 large 28"-50"
 large 8"



Components (continued)





The chest pad is ideal for less involved users. With its single support strap and double angle adjustment it allows easy transfers and quick positioning.

Range of circumference small 14"-28" med 22"-40" large 28"-50"

Pad height small 4" med 5" large 6"





Handlebars

For users who need less arm support, the handlebars attach quickly and adjust easily. They pair perfectly with the simple chest pad.

Height from pivot to top: small: 5", large: 7"





Multi-position saddle

The multi-position saddle (MPS) enables precise positioning of the pelvis. Adjustable in five directions to accommodate each client's posture, the MPS attaches to both the dynamic and standard upper frames. A seat cover is also available to decrease surface friction.

Dimensions: see dimensions chart





Pelvic support

For clients who need less abduction, the pelvic support is a softer alternative to the hip positioner. It provides weight—bearing assistance and freedom of movement while clients build strength and stamina.

Dimensions: see dimensions chart






Hip positioner

The hip positioner enables natural pelvic movement and lower extremity weightshifting, and provides good abduction. A pad is available for added comfort.

Dimensions: see dimensions chart







Thigh prompts

Thigh prompts swing with the user's stride and prevent leg scissoring. They are adjustable in the medial and lateral directions and prevent the user from turning within the Pacer frame.

small 5"-8" large 5"-11"

Length (from clamp to strap) Max. leg circumference small 15" large 20"



Ankle prompts

Ankle prompts have comfortably padded ankle straps and spring adjusters to control stride length and placement. Adjust the strap length to determine foot separation and prevent scissoring.

Handholds

The ergonomic handholds are heightadjustable, and can be placed anywhere along the top bar of the frame. Handholds can be used by caregiver or client.





Communication tray

The communication tray is great for holding tablets and other mobile devices.

Inside dimensions: 81/2"x 11" Max. working load: 10 lb





Attendant guide bar

The guide bar is made of lightweight, high strength aluminum alloy. It attaches to the front tube of the standard or utility base with a quick-release clamp, and enables the caregiver to guide the Pacer from in front or behind.





Accessories tote

A tough and attractive tote bag big enough (14"x 16"x 9") to keep all your Pacer components together when not in use. Made of black ballistic nylon, here is a bag that will hold up to whatever you throw in it and still look great.




Pacer dimensions

Key user d	imensions (inch	es)	K610 mini	K620 small	K630 medium	K640 large	K650 XL				
Elbow height			151/2-201/2	181/2-271/2	24-35	32-47	34–49				
-	Measure the vertic while the user is st		oow to the floor								
J L 1	Choose the size that allows for growth.										
Item dimens	sions (inches)		K610 mini	K620 small	K630 medium	K640 large	K650 XL				
Floor to top of arm prompt			151/2-201/2	181/2-271/2	24-35	32-47	34-49				
Floor to top of MPS (not tilted)*			N/A	10-20	91/2-231/2	17-35	191⁄2-371⁄2				
Overall width		Standard base:	201⁄2	23	26	28	311/2				
		Utility base:	N/A	N/A	30	32	N/A				
		Treadmill/stability base:	N/A	35	35	35	N/A				
Overall length		Standard base:	221/2	26	30	36	39¾				
		Utility base:	N/A	N/A	36	401/2	N/A				
		Treadmill/stability base:	N/A	41	41	41	N/A				
Frame height Standard		Standard & utility bases:	121/2	16-21	211/2-27	281/2-381/2	31-41				
		Treadmill/stability base:	N/A	22-34	231/2-36	291/2-461/2	N/A				
Base height		Standard & utility bases:	N/A	11	141/2	16	181⁄2				
(without upper	frame)	Treadmill/stability base:	N/A	211/2-28	211/2-28	211/2-28	N/A				
Frame weight ((lb)	Standard base:	101⁄4	11½	15	15½	221/2				
		Utility base:	N/A	N/A	181⁄2	19¼	N/A				
		Treadmill/stability base:	N/A	271/2	271/2	271/2	N/A				
		Standard upper:	N/A	I/A 6		91/2	11				
		Dynamic upper:	N/A	71/2	11½	13½	15				
Dynamic upper	movement	Vertical:	N/A	11⁄4	2	2	2				
		Horizontal:	N/A	11⁄2	2	2	2				
Maximum trea	dmill width	Treadmill/stability base:	N/A	29	29 29		N/A				
Maximum trea	dmill height	Treadmill/stability base:	N/A	11	11	11	N/A				
Maximum worl	king load (lb)		50	75	150	200	250				

*This measurement is taken at the lowest frame and MPS height, and the highest frame and MPS height.

Pelvic support



Product dimensions (inches)							
	K556 small	K557 med.	K558 large				
0	61⁄2	81⁄2	12				
0	12	16	20				
G	7	9	12				

Hip positioner

Dimensions (inches)–without pad								
Rear G								
	K513 small	K533 large						
 Crotch length 	21/2	31/2						
(b) Width	11⁄4	13⁄4						
G Length	9	11						

MPS saddle

Dimensions (inches)						
Re a	9	Front				
K672/K673	small/med	K674 large				
 Width at rear 	31/2	51⁄4				
• Width at front	3	41/2				
G Length	91/2	10¾				



All five sizes are available in five colors: red, blue, gray, lime and pink.

2023 order form

Jse	dimension chart to select app	ropri	atë size.	K610	mini	K620	small	K630	medium	K640	large	K650	XL
* C	olor			Red		Red		Red		Red		Red	
			0	Blue		Blue		Blue		Blue		Blue	
			CHOOSE	Gray		Gray		Gray		Gray		Gray	
			SE	Lime		Lime		Lime		Lime		Lime	
				Pink		Pink		Pink		Pink		Pink	
* U	pper frame	£	Dynamic	N/A		K621	\$1,155 🗌	K631	\$1,600 🗌	K641	\$1,800 🗌	K651	\$2,320 🗌
		CHOOSE	Standard	N/A		K622	\$685 🗌	K632	\$940 🗌	K642	\$1,135 🗌	K652	\$1,655 🗌
		£	With odometer	K613	\$980 🗌	K623	\$615 🗌	K633	\$767 🗌	K643	\$960 🗌	K653	\$1,410 🗌
*		CHOOSE	Without odometer	K614	\$820 🗌	K624	\$430 🗌	K634	\$578 🗌	K644	\$780 🗌	K654	\$1,225 🗌
Base	Utility base	£	With odometer	N/A		N/A		K635	\$1,061 🗌	K645	\$1,245 🗌	N/A	
æ	(larger wheels)	CHOOSE	Without odometer	N/A		N/A		K636	\$872 🗌	K646	\$1,065 🗌	N/A	
	Treadmill/stability base (comes in	n gray	only)	N/A		K676	\$1,300 🗌	K676	\$1,300 🗌	K676	\$1,300 🗌	N/A	
Arn	n supports (pair)		Small arm prompts	K512	\$535 🗌	K512	\$535 🗌	K512	\$535 🗌	K512	\$535 🗌	K512	\$535 🗌
		£	Large arm prompts	N/A		N/A		K532	\$575 🗌	K532	\$575 🗌	K532	\$575 🗌
		CHOOSE	Arm platforms	N/A		N/A		K697	\$390 🗌	K697	\$390 🗌	K697	\$390 🗌
			Arm platforms w/ handgrips	N/A		N/A		K696	\$440 🗌	K696	\$440 🗌	K696	\$440 🗌
Har	ndbrake for utility base (requires ar	rm sup	ports)	N/A		N/A		K687	\$315 🗌	K688	\$340 🗌	N/A	
Har	ndlebars (pair)	£	Small	K625	\$205	K625	\$205	K625	\$205	K625	\$205	K625	\$205
		CHOOSE	Large	N/A		N/A		K675	\$215	K675	\$215	K675	\$215 🗌
Har	nd loops (pair)			K579	\$180	K579	\$180 🗌	K579	\$180	K579	\$180	K579	\$180
	est prompt		Small	K514	\$565	K514	\$565	K514	\$565	N/A		N/A	, L
	or prompt	CHOOSE	Medium	N/A	\$303 <u></u>	K524	\$610	K524	\$610	K524	\$610 🗌	K524	\$610 🗌
		OSE	Large	N/A		N/A	9010 <u></u>	K534	\$655 🗌	K524	\$655	K534	\$655 🗌
Che	est pad		Large	N/A		K629	\$310	K639	\$330	K649	\$355	N/A	1022
	Iti-Position Saddle		Small	N/A		K672	\$940	N/A	\$550 L	N/A	\$555 <u></u>	N/A	
		Medium	N/A		N/A	\$0 - 0	K673	\$965 🔲	N/A	-	N/A	-	
		CHOOSE	Large	N/A		N/A	-	K674	\$1,000	K674	\$1,000 🔲	K674	\$1,000
мр	S seat cover	0	Small/Medium	N/A		K627	\$80 🗌	K627	\$80	N/A	\$1,000	N/A	\$1,000
IVIT	J Seat Lover	CHOOSE	Large	N/A		N/A	900 <u></u>	K628	\$80 🗌	K628	\$80 🗌	K628	\$80 🗌
Dol	vic support (includes handholds)	m	Small	K556	\$450	K556	\$450	K556	\$450	N/A	100	N/A	100 L
rei	vic support (includes nationals)	E	Medium	N/A	\$430 <u></u>	K550	\$450	K550		K557		K557	• ¢160 □
		CHOOSE					\$400		\$460	K558	\$460		\$460
111.00	neritiener (indudes hendholds)	0	Large	N/A	£450 🗖	N/A	£450 🗖	K558	\$475		\$475	K558	\$475
нр	positioner (includes handholds)	CHOOSE	Small	K513	\$450 🗌	K513	\$450 🗌	K513	\$450	K513	\$450	K513	\$450
			Large	N/A	¢440 🗖	N/A	¢110 □	K533	\$475	K533	\$475	K533	\$475
нр	positioner pad 유		Small	K541	\$110 🗌	K541	\$110 🗌	K541	\$110	K541	\$110	K541	\$110
			Large	N/A		N/A		K542	\$150	K542	\$150	K542	\$150 🗌
Thigh prompts (pair) Small Large			N/A		K515	\$420 🗌	K515	\$420	K515	\$420	N/A		
		N/A	¢ 4 7 5	N/A	¢ + 05	K535	\$495	K535	\$495	K535	\$495		
Ankle prompts for standard base (pair)		K681	\$175	K682	\$185 🗌	K683	\$205	K684	\$220	K684	\$220		
Ankle prompts for utility base (pair) Ankle prompts for treadmill/stability base (pair) Additional handholds (pair) Communication tray Attendant guide bar		N/A		N/A		K693	\$205	K694	\$225	N/A			
		N/A		K664	\$225	K664	\$225	K664	\$225	N/A	=		
		K519	\$120	K519	\$120	K519	\$120	K519	\$120	K519	\$120		
		K518	\$405 🗌	K698	\$410 🗌	K698	\$410 🗌	K698	\$410 🗌	K698	\$410 🗌		
		K589	\$155 🗌	K679	\$155 🗌	K689	\$155 🗌	K689	\$155 🗌	N/A			
Rifton accessories tote		K522	\$140 🗌	K522	\$140 🗌	K522	\$140 🗌	K522	\$140 🗌	K522	\$140 🗌		
Total		K610	\$	K620	\$	K630	¢	K640	\$	K650	¢		

Adult gait training options

XL Pacer

The **XL Pacer** has dynamic body support, locking gas-spring height adjustment and a multi-position saddle.

E-Pacer

The **E-Pacer** combines an electric lift column with gait training features from the Pacer.

TRAM

The **TRAM** has an electric lift column and a compact frame that is easy to maneuver in tight spaces.



Product comparison chart







XL Pacer

E-Pacer

TRAM

	AE I deel		
Weight limit	250 lb	350 lb	350 lb
Width of base (to determine min. door width)	31½"	31½"	271/2"
Adjustment range (floor to top of arm prompt)	34"-49"	24"-61"	23"-60"
Zero-lift transfers (powered height adjustment)		\checkmark	\checkmark
Bluetooth-equipped scale		\checkmark	\checkmark
Expandable base frame		\checkmark	\checkmark
Low-base option (to fit under tight spaces)			\checkmark
Collapsible frame	\checkmark		
Dynamic weight shifting	\checkmark		
Thigh prompts	\checkmark		
Multi-position saddle (MPS)	\checkmark		
Odometer	\checkmark	\checkmark	
Ankle prompts	\checkmark	\checkmark	
Four-function casters	\checkmark	\checkmark	
Hip positioner	\checkmark	\checkmark	\checkmark
Pelvic support	\checkmark	\checkmark	\checkmark
Arm prompts	\checkmark	\checkmark	\checkmark