



Helio

ORDER FORM - USA

P.O. number:*	Date:	Ship to:*
Company Name:*	Phone:*	Name:
Ordered by:*		Address:
Clinician/ATP/RTS:		City:
Email:		State:
Marked for:		Zip Code:
		Phone:

* Required

C2MA022 / A7MA012

☐ C2MA029 / A7MA019

C2 English Manual (STD)

C2 Spanish Manual

Taxes not included

MODEL								USD				
1	HEWC03	Ultralight folding Helio wheelchair (265lb weight capacity) A7 package: side frames, symmetrical hydroformed crossbrace and back canes made of 7000 series aluminum							K0005	\$2 295	☐	
2	HEWC08	C2 carbon fiber upgrade: side frames, symmetrical molded crossbrace and back canes made of ultralight carbon fiber								\$1 495	☐	
3	HEWC09	HD Heavy Duty package (350 lb weight capacity)								\$500	☐	
4	HEWC10	E-Motion adaptor Kit (2 adaptors)								\$72	☐	
SEAT WIDTH ³												
5	HESW	Seat width:	14" ☐	15" ☐	16" ☐	17" ☐	18" ¹ ☐	19" ¹ ☐			NC	☐
6	HESW	Seat width:		20" ¹ ☐	21" ² ☐	22" ² ☐			E2201	\$495	☐	
SEAT DEPTH												
7	HESD	Seat depth:	14" ☐	15" ☐	16" ☐	17" ☐	18" ☐	19" ☐			NC	☐
8	HESD	Seat depth:		20" ☐						E2203	\$475	☐

1 - Available with HD Kit (350 lb)

2 - Only with HD Kit (350 lb)

[3. Width calculator](#)

NEWTON ULTRALIGHT PACKAGE										
9	HEPK01	Includes: Carbon fiber angle adjustable footplates + Newton Gravity Ultralight rear wheels						Save \$235	\$480	☐

Helio FRONT Seat-to-floor Height - Please select your choice

Forks / Position		3" caster			4" caster			5" caster			6" caster			7" caster			8" caster		
		Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length		
		STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"
4"	P1	13	14	15	13 1/2	14 1/2	15 1/2												
	P2	13 1/2	14 1/2	15 1/2	14	15	16	14 1/2	15 1/2	16 1/2									
5"	P1																		
	P2				14	15	16	14 1/2	15 1/2	16 1/2									
	P3	14	15	16	14 1/2	15 1/2	16 1/2	15	16	17	15 1/2	16 1/2	17 1/2						
	P4	14 1/2	15 1/2	16 1/2	15	16	17	15 1/2	16 1/2	17 1/2	16	17	18	16 1/2	17 1/2	18 1/2			
7"	P1										16 1/2	17 1/2	18 1/2	17	18	19			
	P2							16 1/2	17 1/2	18 1/2	17	18	19	17 1/2	18 1/2	19 1/2			
	P3							17	18	19	17 1/2	18 1/2	19 1/2	18	19	20	18 1/2	19 1/2	20 1/2
	P4	16 1/2	17 1/2	18 1/2	17	18	19	17 1/2	18 1/2	19 1/2	18	19	20	18 1/2	19 1/2	20 1/2	19	20	21
	P5	17	18	19	17 1/2	18 1/2	19 1/2	18	19	20	18 1/2	19 1/2	20 1/2	19	20	21	19 1/2	20 1/2	21 1/2

Height available +- 1/4" (see stem bolt and fork combination at the end of the order form)

CASTERS												
10	HECA01	Composite wheel w/ PU tire (1" width)	3"□	4"□	5"□	6"□	7"□	8"□			NC	□
11	HECA10	Pneumatic casters 6" x 1 ¼"								E2214/E2215	\$160	□
12	HECA11	Pneumatic casters 8" x 1 ¼"								E2214/E2215	\$160	□
13	HECA14	Newton UltraCaster <i>Soft-Roll</i> Composite	4" x 1 ½ "								\$80	□
14	HECA15		5" x 1 ½ "								\$80	□
15	HECA16		6" x 1 ½ "								\$80	□
16	HECA17	Newton UltraCaster <i>Soft-Roll</i> Aluminum	4" x 1 ½ "								\$175	□
17	HECA18		5" x 1 ½ "								\$185	□
18	HECA19		6" x 1 ½ "								\$195	□
CASTER OPTIONS												
19	HECA12	Caster Pin Locks (Available with +1" or +2" Stem bolt ONLY)							K0073	\$295	□	
20	HECA13	Carbon fiber Frog Legs suspension forks Phase 2 (Not available with caster pin locks)							E1015	\$475	□	

Helio - REAR
 Seat-to-floor Height

WHEEL SIZES	Height available			Specify desired height: _____
20" wheel	12 1/2	to	17 1/4	
22" wheel	13 1/2	to	18 1/4	
24" wheel	14 1/2	to	19 1/4	
25" wheel	15	to	19 3/4	
26" wheel	15 1/2	to	20 1/4	

Note: Tire size, center of gravity setting and seat slope may result in a variation of +/- ½" of selected seat to floor height"

SWING-IN/SWING-OUT FOOTREST											
21	HEFR03	60° Swing-in/swing-out footrest	<i>see line 24 (5 - 13.5")</i> ☐	13.5 - 17" ☐	14.5 - 19.5" ☐	15.5 - 20.5" ☐	Set at: *			NC	☐
22	HEFR04	70° Swing-in/swing-out footrest	<i>see line 24 (5 - 13.5")</i> ☐	13.5 - 17" ☐	14.5 - 19.5" ☐	15.5 - 20.5" ☐	Set at: *			NC	☐
23	HEFR15	80° Swing-in/swing-out footrest	<i>see line 24 (5 - 13.5")</i> ☐	13.5 - 16" ☐	14.5 - 19.5" ☐	15.5 - 20.5" ☐	Set at: *			NC	☐
FOOTREST OPTIONS											
24	HEFR09	High mount (<i>footplate attached to hanger with clamps</i>)				Range: 5 - 13.5"	Set at: *			\$75	☐

* + / - 1/2"

90° SWING-IN/SWING-OUT FOOTREST WITH FRONT MOUNT (Footplate mounted to hanger tube)								
25	HEFR06	90° swing-in/swing-out with front mount - Standard (no extension) ¹	7.5 - 11"	Set at: *			NC	☐
26	HEFR07	90° swing-in/swing-out with front mount - Short extension 2" ^{1, 2}	9.5 - 13"	Set at: *			NC	☐
27	HEFR08	90° swing-in/swing-out with front mount - Medium extension 4" ^{1, 2}	9.5 - 14.5"	Set at: *			NC	☐
28	HEFR99	Omit Footrest					NC	☐

1 - Available only with adjustable footplates 2 - May interfere with front casters

* + / - 1/2"

ELEVATING LEGREST (<i>unit</i>)				The elevating legrest replace the footrest side selected							
29	HEFR10	Elevating legrest with calf pad, 14" - 19" Length adjustable			Left ☐	Right ☐	Set at:		E0990	\$240	☐

FOOTPLATES						
30	HEFP01	Standard - Composite			STD	☐
31	HEFP02	Newton adjustable angle - Composite		K0040	\$210	☐
32	HEFP03	Newton adjustable angle - Aluminum		K0040	\$230	☐
33	HEFP04	Newton adjustable angle - Carbon fiber <i>(with rubber inserts)</i>			\$415	☐
34	HEFP06	One piece adjustable angle flip-up - Aluminum		K0040	\$190	☐
35	HEFP07	One piece adjustable angle flip-up - Carbon fiber <i>(with rubber inserts)</i>			\$435	☐
FOOTPLATE ACCESSORIES						
36	HEFP08	Length adjustable heel loop <i>(not available with one piece footplate)</i>		E0951	\$40	☐
37	HEFP09	Calf strap		K0038	\$35	☐
38	HEFP30	Bodypoint Aeromesh Padded calf strap		SEFND0010	\$115	☐

RESIDUAL LIMB SUPPORT (<i>Height and angle adjustable</i>) (<i>unit</i>)											
39	HEFR23	Swing away residual limb support - 7" x 9"			Left ☐	Right ☐			E1020	\$375	☐
40	HEFR12	Swing away residual limb support - 8" x 11"			Left ☐	Right ☐			E1020	\$375	☐

Back canes, height adjustable, with option									
FIXED ANGLE BACK									
41	HEBC11 HEBC06	Straight height adjustable back cane	12 - 15" ☐	15 - 18" ☐	18 - 21" ☐ STD			NC	☐
42	HEBC12 HEBC08	8° Bend height adjustable back cane	13 ½ - 15" ☐	15 - 18" ☐	18 - 21" ☐ STD			\$50	☐
ADJUSTABLE ANGLE BACK									
43	HEBC13 HEBC09	Adjustable angle, straight back cane		15 - 18" ☐	18 - 21" ☐ STD			\$200	☐
44	HEBC14 HEBC10	Adjustable angle, 8° bend back cane		15 - 18" ☐	18 - 21" ☐ STD			\$250	☐
45		Select back cane angle:	85° ☐ ¹	90° ☐	95° STD ☐	100° ☐	105° ☐	110° ☐	
Set height to: ²		(measured from seat sling to top of back upholstery)							
		PUSH HANDLE OPTION							
46	HEPH01	Push handles						STD	☐
47	HEPH05	Folding push handles ^{3, 5}						\$120	☐
48	HEPH06	clamp on height adjustable push handle ^{3,4, 5}	9 - 20" STD ☐	9-23" ☐				\$300	☐
49	HEPH02	Without push handles						NC	☐
1 - Not available with a 8 degree bend cane 2- If not indicated, default height setting is at the lowest position 3 - 265 pounds weight limit									
4 - Not compatible with swing away armrests, 8° bend back canes and ampute axle plates									
5 - Not compatible with stroller handle, stabilizer bar and headrest and attendant lock									
STROLLER HANDLE AND STABILIZER BAR ¹									
50	HEPH04	Stroller handle (only available with push handle) - (not available with the HD option)					K0108	\$160	☐
51	HEPH03	Newton folding stabilizer bar						\$250	☐
1 - Stroller handle and stabilizer bar can't be combined									
BACK UPHOLSTERY									
52	HEBH07	Slip-on Active-Mesh back upholstery						STD	☐
53	HEBH08	Adjustable tension Active-Mesh back upholstery					E2611	\$300	☐
54	HEBH99	Omit Back upholstery						NC	☐
SEAT CUSHION									
55	HESC01	2" Cushion						\$165	☐
56	HESC02	3" Cushion						\$185	☐
57	HESC99	Omit seat cushion						NC	☐
REAR WHEELS									
58	HERW01	Mag ¹	20"	22" ☐	24" ☐			\$50	☐
59	HERW02	Newton One - spoke wheel ²	20"	22" ☐	24" ☐			NC	☐
60	HERW03	Newton Gravity - ultralight wheel	20"	22" ☐	24" ☐	25" ☐	26" ☐	\$300	☐
61	HERW04	Spinergy Spox		22" ☐	24" ☐	25" ☐	26" ☐	\$795	☐
62		Spinergy Spox spokes colors ³	Blk ☐ STD	Wht ☐	Blue ☐	Red ☐	Yel ☐	NC	☐
63	HERW05	Spinergy LX		22" ☐	24" ☐	25" ☐	26" ☐	\$995	☐
64		Spinergy LX spokes colors ³	Blk ☐ STD	Pur ☐	Wht ☐	Blue ☐	Red ☐	Yel ☐	NC
65	HERW07	Spinergy CLX Carbon Blade			24" ☐	25" ☐		\$1 480	☐
66		Spinergy CLX spokes colors ³	Blk ☐ STD	Pur ☐	Wht ☐	Blue ☐	Red ☐	Yel ☐	NC
1 - HP tires are not compatible with Mag Wheels -use only aluminum or plastic coated handrim 2 - Not compatible with Shox tires									
3 - Colour spokes require an additionnal 10 days lead-time									
TIRES					Available				
67	HETI01	Soft Urethane 1 1/4 "			20", 22" 24"			STD	☐
68	HETI02	Soft Urethane knobby 1 3/8 "			22", 24", 25", 26"			\$95	☐
69	HETI04	Soft Urethane - Shox 1"			22", 24", 25", 26"			\$115	☐
70	HETI05	Pneumatic 1 3/8 "			20", 22", 24", 25", 26"		E2211/E2212	NC	☐
71	HETI08	Pneumatic with Airless insert 1 3/8 "			22", 24"		E2211/E2213	\$80	☐
72	HETI06	Pneumatic HP - 1"			20", 22", 24", 25", 26"		E2211/E2212	\$95	☐
73	HETI07	Pneumatic HP - Schwalbe Marathon Plus 1"			24", 25", 26"		E2211/E2212	\$125	☐

HANDRIM							
74	HEHR01	Aluminum anodized				STD	☐
75	HEHR07	Newton Air Grip ¹ <i>Black</i> ☐				\$95	☐
76	HEHR08	Newton Air Grip ¹ <i>(08) Sunkissed Orange</i> ☐ <i>(09) Burgundy</i> ☐ <i>(10) Sapphire Blue</i> ☐ <i>(11) Monster Green</i> ☐ <i>(12) Charcoal</i> ☐ <i>(13) Fuchsia</i> ☐ <i>(14) Steel Blue</i> ☐ <i>(15) Ferrari Red</i> ☐ <i>(16) Acid Green</i> ☐ <i>(17) White</i> ☐ <i>(18) Sky Blue</i> ☐				\$240	☐
		Assembly position for aluminum and Newton AirGrip handrims					
77	HEHR29	Standard Handrim position <i>Full tab</i>				STD	☐
78	HEHR30	Narrow Handrim position <i>Short tab 2 positions</i>				\$25	☐
79	HEHR31	Super Narrow Handrim <i>Short tab 2 positions STD</i> ☐ <i>Short tab 1 position</i> ☐				\$25	☐

HANDRIM						
80	HEHR02	Plastic coated ³				\$95 ☐
81	HEHR03	Q-Grip High friction Neoprene coated ^{1, 2, 3}				\$350 ☐
82	HEHR28	Surge ^{1, 2, 3} <i>(1-1/2" Oval handrim w/ Gripton high friction strip)</i>				\$375 ☐
83	HEHR05	Surge LT ^{1, 2, 3} <i>(1-1/8" Oval handrim w/ Gripton high friction strip)</i>				\$405 ☐
84	HEHR04	Natural Fit Standard Grip ^{1, 2, 3} <i>(1-1/2" Oval handrim w/standard thumb piece)</i>				\$395 ☐
85	HEHR25	Natural Fit Super Grip ^{1, 2, 3} <i>(1-1/2" Oval handrim w/super grip thumb piece)</i>				\$450 ☐
86	HEHR99	Omit handrim				NC ☐

1 - Not available with Mag wheels 2 - Not available in 20" 3 - Only standard handrim position available


ONE ARM DRIVE						
87	HEHR22	One arm drive ⁴	24" left ☐ right ☐	<i>New</i>		\$1 395 ☐

4 - Only available with Newton One wheels, aluminum or plastic handrims

AXLE						
88	HEAX01	Quick release axle			STD	☐
89	HEAX02	Permanent axle			NC	☐
90	HEAX03	Quad release axle		K0108	\$125	☐
AXLE PLATE						
91	HEAX04	Amputee adjustable axle plate ¹		E0959	\$195	☐

1 - May interfere with swing away armrest and limit seat to floor height available

REAR WHEEL CAMBER						
92	HECM00	0° camber				STD ☐
93	HECM03	3° camber				NC ☐
94	HECM06	6° camber <i>(not available with amputee axle plate)</i>				\$150 ☐

CENTER OF GRAVITY																																															
				Choose position of rear wheel axle plate: Measure distance X from front of back post to center of axle receiver.																																											
				<table border="1"> <thead> <tr> <th colspan="8">Most stable</th><th colspan="4">Most responsive</th></tr> <tr> <th>1"</th><th>1/4"</th><th>1/2"</th><th>3/4"</th><th>2"</th><th>1/4"</th><th>1/2"</th><th>3/4"</th><th>3"</th><th>1/4"</th><th>1/2"</th><th>3/4"</th><th>4"</th></tr> </thead> <tbody> <tr> <td>☐</td><td>☐</td><td>☐</td><td>☐</td><td>☐</td><td>☐</td><td>☐</td><td>☐</td><td>☐</td><td>☐</td><td>☐</td><td>☐</td><td>☐</td></tr> </tbody> </table>										Most stable								Most responsive				1"	1/4"	1/2"	3/4"	2"	1/4"	1/2"	3/4"	3"	1/4"	1/2"	3/4"	4"	☐	☐	☐	☐	☐	☐	☐	☐	☐
Most stable								Most responsive																																							
1"	1/4"	1/2"	3/4"	2"	1/4"	1/2"	3/4"	3"	1/4"	1/2"	3/4"	4"																																			
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐																																			
If not indicated, default setting is at 1.5" Possible conflict between a seat depth under 16" and a center of gravity over 2.5". Possible conflict between a 26" rear wheel and a center of gravity over 2.5". If a configuration issue arises due to the choice of the Center Of Gravity (COG) Motion Composites reserves the right to reduce or increase the COG to the closest position.																																															
<i>Only on carbon frame</i>																																															

WHEEL LOCK						
95	HEWL08	Newton Wheel lock - push to lock				STD ☐
96	HEWL02	Pull to lock				NC ☐
97	HEWL04	Newton grade aid push to lock <i>(suggested with pneumatic or high pressure tire)</i>			E0974	\$150 ☐
98	HEWL13 HEWL14	6" removable extension handle			E0961	\$75 ☐
99	HEWL05	Scissor Lock				\$240 ☐
100	HEWL06	Attendant Lock <i>(additional set of wheel lock mounted to the back)</i>				\$200 ☐
101	HEWL99	Omit wheel locks				NC ☐

FLIP BACK ARMREST (Convertible to "T" armrest) ¹				Height Adjustment		Removable function					
102	HEAR01	10" Desk length arm pad	8 - 12" ☐	STD	10 - 14" ☐	Locked ☐	Unlocked ☐	STD	E0973	\$350	☐
103	HEAR02	14" Full length arm pad	8 - 12" ☐	STD	10 - 14" ☐	Locked ☐	Unlocked ☐	STD	E0973	\$350	☐
"T" ARMREST ¹			Height Adjustment								
104	HEAR03	10" Desk length arm pad	8 - 12" ☐	STD	10 - 14" ☐				E0973	\$325	☐
105	HEAR04	14" Full length arm pad	8 - 12" ☐	STD	10 - 14" ☐				E0973	\$325	☐

1 - May have a 1/2" adjustment restriction on both limits of the range

GEL ARM PAD											
106	HEAR12	14" Full Length Arm Pad - Gel Ovation								\$150	☐
SWING AWAY ARMREST ²			Height Adjustment								
107	HEAR05	Tubular arm pad	8 - 11"								☐
108	HEAR06	10" Desk length arm pad	8 - 11"								☐

2 - Could interfere with some rigid back rests

109	HEAR99	Omit armrest								NC	☐
-----	--------	--------------	--	--	--	--	--	--	--	----	--------------------------

SIDE GUARDS (not available with Flip Back and "T" Armrest)											
110	HESG01	Plastic side guards (removable)								\$195	☐
111	HESG02	Carbon fiber side guards (fixed) ¹								\$250	☐
112	HESG03	Carbon fiber side guards (removable)								\$290	☐
113	HESG06	Plastic fender side guards (removable) ²								\$270	☐
114	HESG04	Carbon fiber fender side guards (removable)								\$540	☐
115	HESG99	Omit side guard								NC	☐

1- Not available with back upholstery

2- Not compatible with 20" and 22" rear wheels

POSITIONING BELT									
116	HESB01	Velcro adjustable	Standard 35" ☐	Long 60" ☐		E0978	\$45	☐	
117	HESB02	Auto buckle	Standard 35" ☐	Long 60" ☐		E0978	\$85	☐	
118	HESB07	Hardware attachment for 2 point seatbelt (1 pair)					NC	☐	
119	HESB03	Additional hardware for 2 extra attachment points (needed for the 4 point seat belt) (1 pair)					\$15	☐	
120	HESB04	BodyPoint Hip Belt - 2 point not padded	Medium 56" ☐	Long 61" ☐		E0978	\$80	☐	
121	HESB05	BodyPoint Hip Belt - 2 point padded	Small 51" ☐	Medium 56" ☐	Long 61" ☐	E0978	\$170	☐	
122	HESB06	BodyPoint Hip Belt - 4 point padded	Small 51" ☐	Medium 56" ☐	Long 61" ☐	E0978	\$190	☐	
123	HESB08	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps	Medium 18" ☐	Long 24" ☐		E0978	\$285	☐	
124	HESB99	Omit positioning belt					STD	☐	

HEADREST ¹											
125	HEAC01	Profiled Headrest	Small (3.5"x6") ☐	Medium (4.5"x7") ☐	Large (5.5"x8") ☐						
126	HEAC02	Headrest mounting hardware with removable non folding stabilizer bar								E1028	\$295

1 - Only available with push handles - Not available with a stroller handle or a folding stabiliser bar

ACCESSORIES										
127	HEAC03	Anti tippers						E0971	\$140	☐
128	HEAC27	Tip assist ¹				New		\$60	☐	
129	HEAC04	Transit Tie Down (Unoccupied)						NC	☐	
130	HEAC05	WC-19 Transit Tie Down w/Q'straint belt ²		Short belt 20-41" ☐	Long belt 20-46" ☐			\$320	☐	
131	HEAC06	Cane carrier		Left ☐	Right ☐		E2207	\$195	☐	
132	HEAC07	Oxygen tank holder - E Type <i>Not compatible with swing away armrest or amputee axle plate</i>			Left		E2208	\$310	☐	
133	HEAC08	Spoke guards ³		Available: 20", 22", 24", 26"			K0065	\$115	☐	
134	HEAC09	Footrest neoprene impact guard (pair) - Black					K0108	\$90	☐	
135	HEAC10	Seat pouch						\$75	☐	
136	HEAC26	BodyPoint Mobility Bag						\$125	☐	
137	HEAC23	Newton Backpack						\$120	☐	
138	HEAC12	Velcro Closing Strap						\$50	☐	
139	HEAC13	Tool kit						\$45	☐	
140	HEAC16	Motion Composites Polo Shirt	W/S ☐	W/M ☐	W/L ☐				\$32	☐
			M/S ☐	M/M ☐	M/L ☐	M/XL ☐	M/XXL ☐	M/XXXL ☐	M/XXXXL ☐	
141	HEAC15	Military Patches	Army ☐	Navy ☐	Air Force ☐	Marines ☐	Coast Guard ☐		\$90	☐
142	HEAC15	Combat Wounded Purple Heart Patch						\$90	☐	


1 - Cannot be combined with Anti Tippers

2 - May interfere with swing away armrest and Clamp on height adjustable push handle ; Not available with HD option

3 - Not available with Mag wheels

FRAME COLOR														
143	HEFC01	Black/Carbon Fiber Black ☐ (Black color is replaced by the Carbon fiber finish with the C2 upgrade)							NC	☐				
144	HEFC03	Sunkissed Orange ☐		Burgundy ☐		Sapphire Blue ☐		Monster Green ☐				NC	☐	
		Charcoal ☐		Fuchsia ☐		Steel Blue ☐		Ferrari Red ☐		Acid Green ☐				
145	HEFC99	Custom Color Specify PPG Paintit color:											\$360	☐
TOTAL														

Fork and Stem bolt combinations



Notes :