



Custom frames may have stylistic variations. Dimensional properties and tolerances committed to by Top End are defined in the Measurement Definitions Documents, which can be found in the resource center on <a href="www.topendwheelchair.com">www.topendwheelchair.com</a>


PROVIDER / CUSTOMER INFORMATION:						
Provider Info	ormation:	End User Information:				
Date:		Name:		Height:		
IVC Acct #:		Ship to Address:		Weight (lbs.):		
Contact:		Address Line 2:		Leg Length (in.):		
Phone #:		City:		Hip Width (in.):		
Fax/Email:		State:	Zip:	Phone #:		
Ship to Provider		Ship to End User		Email:		
ORDER REQUEST TYPE:						
Quote	Quote and CAD	Order	PO #			
5445 14455						

KNEE WIDTH


O 15151

BASE MODE	iL:			
C 10000	Top End Schulte 7000 Series Basketball			
• 10002	Wheelchair	\$3,893		
	Note: Chair ordered without wheels, tires, axles	75,055		
	or handrims starts at \$3,723			
Assembly:	Assembly: (see definitions)			
<ul><li>10048</li></ul>	Assembled	\$0		
Shipping:				
Shipping Fee				
(Continental US (	\$150			

FRAME TYPE: (see definitions)			
O 15168	Standard Seat Style Frame	\$0	
O 15169	Tapered Seat Style Frame	\$151	
O 15173	Heavy Duty Standard Seat Style Frame	\$602	



Standard and Heavy Duty Seat Style Frame




**Tapered Seat Style Frame** 

REAR SEAT WIDTH:					
(Measured from	(Measured from outside to outside of the tubing - See Diagram)				
O 15009	12.0" Rear Seat Width	\$0			
O 15010	12.5" Rear Seat Width	\$0			
O 15011	13.0" Rear Seat Width	\$0			
O 15012	13.5" Rear Seat Width	\$0			
O 15013	14.0" Rear Seat Width	\$0			
O 15014	14.5" Rear Seat Width	\$0			
O 15015	15.0" Rear Seat Width	\$0			
O 15016	15.5" Rear Seat Width	\$0			
O 15017	16.0" Rear Seat Width	\$0			
O 15018	16.5" Rear Seat Width	\$0			
O 15019	17.0" Rear Seat Width	\$0			
O 15020	17.5" Rear Seat Width	\$0			
O 15021	18.0" Rear Seat Width	\$0			
<u> </u>	18.5" Rear Seat Width	\$0			



(see diagram below - Only Available with Tapered Seat Style Frame)  Must be at least 3.0" smaller than the Rear Seat Width - Measured at the widest point of athletes lower leg (inside to inside of the tubing)			
O 15133	8.0" Knee Width	\$0	
O 15139	9.0" Knee Width	\$0	
O 15145	10.0" Knee Width	\$0	
O 15146	11.0" Knee Width	\$0	
O 15147	12.0" Knee Width	\$0	
O 15148	13.0" Knee Width	\$0	
O 15151	Custom Knee Width	\$54	



Invacare Corporation Top End Division

All rights reserved. Trademarks are identified by the symbols TM and ®. All trademarks are owned by or licensed to Invacare Corporation unless otherwise noted.

Specifications and prices are subject to change without notification.






Custom frames may have stylistic variations. Dimensional properties and tolerances committed to by Top End are defined in the Measurement Definitions Documents, which can be found in the resource center on  $\underline{www.topendwheelchair.com}$ 

SEAT DEPTH	SEAT DEPTH: (see diagram below)			
SEAT DEPTH	(Upholstery):			
O 15038	12.0" Seat Depth, Upholstery	\$0		
O 15040	13.0" Seat Depth, Upholstery	\$0		
O 15042	14.0" Seat Depth, Upholstery	\$0		
O 15044	15.0" Seat Depth, Upholstery	\$0		
O 15046	16.0" Seat Depth, Upholstery	\$0		
15048 17.0" Seat Depth, Upholstery		\$0		
15050 18.0" Seat Depth, Upholstery		\$0		
15052 19.0" Seat Depth, Upholstery		\$0		
Custom Seat Depth, Upholstery (See Specials Request Box)		\$54		
EXTRA FRAME DEPTH: (see definitions)				
<u> 15142</u>	\$0			
<u> </u>	Custom Extra Frame Depth (See Specials Request Box)	\$54		


BACK HEIGHT: (see diagram below)				
ADJUSTABLE:				
<u> </u>	Adjustable 9" to 11"	\$0		
<u> </u>	Adjustable 10" to 14"	\$0		
<u> </u>	Adjustable 14" to 18"	\$0		
FIXED:				
<u> </u>	Fixed at 8.0"	\$0		
<u> </u>	Fixed at 9.0"	\$0		
O 15105	Fixed at 10.0"	\$0		
15107 Fixed at 11.0"				
<u> </u>	\$0			
<u> </u>	Custom Fixed Back Height (See Specials Request Box)	\$54		



<b>SEAT HEIGH</b>	SEAT HEIGHTS: (see diagram below)			
FRONT SEAT	TO FLOOR:			
<u> </u>	14.5" Front Seat to Floor	\$0		
O 15061	15.0" Front Seat to Floor	\$0		
<u></u>	15.5" Front Seat to Floor	\$0		
<u> </u>	16.0" Front Seat to Floor	\$0		
O 15064	16.5" Front Seat to Floor	\$0		
O 15065	17.0" Front Seat to Floor	\$0		
O 15066	17.5" Front Seat to Floor	\$0		
<u> </u>	18.0" Front Seat to Floor	\$0		
<u> </u>	18.5" Front Seat to Floor	\$0		
O 15069	19.0" Front Seat to Floor	\$0		
<u> </u>	19.5" Front Seat to Floor	\$0		
<u> </u>	20.0" Front Seat to Floor	\$0		
<u> 15072</u>	20.5" Front Seat to Floor	\$0		
<u> </u>	21.0" Front Seat to Floor	\$0		
O 15167	Custom Front Seat to Floor Height	\$54		
<u> 15167</u>	(See Specials Request Box)	754		
REAR SEAT T				
<u> </u>	14.5" Rear Seat to Floor	\$0		
O 15081	15.0" Rear Seat to Floor	\$0		
<u></u>	15.5" Rear Seat to Floor	\$0		
<b>15083</b>	16.0" Rear Seat to Floor	\$0		
O 15084	16.5" Rear Seat to Floor	\$0		
O 15085	17.0" Rear Seat to Floor	\$0		
O 15086	17.5" Rear Seat to Floor	\$0		
<u> </u>	18.0" Rear Seat to Floor	\$0		
O 15088	18.5" Rear Seat to Floor	\$0		
O 15089	19.0" Rear Seat to Floor	\$0		
<u> </u>	19.5" Rear Seat to Floor	\$0		
O 15091	20.0" Rear Seat to Floor	\$0		
<u> </u>	20.5" Rear Seat to Floor	\$0		
<u> </u>	21.0" Rear Seat to Floor	\$0		
O 15166	Custom Rear Seat to Floor Height (See Specials Request Box)	\$54		

ANTI-TIP:		
O 20030	Adjustable Height, Single	\$0
O 20024	Adjustable Height, Double	\$211

WING STYLE:		
<ul><li>75031</li></ul>	Four Bend Wing	\$0







Custom frames may have stylistic variations. Dimensional properties and tolerances committed to by Top End are defined in the Measurement Definitions Documents, which can be found in the resource center on  $\underline{www.topendwheelchair.com}$ 

FOOTRES	Т: сн	OOSE ON	LY 1 STYLE (see definitions) (see diagra	ım)
TELESCOP				
C 60003	Adju	ıstable l		\$0
FC	OTR	EST PLA	TE:	
	$\bigcirc$	60036	Telescoping, Platform Plate Offers Most Adjustment	\$70
	$\bigcirc$	60024	Telescoping, No Plastic Cover	\$0
	$\bigcirc$	60026	Telescoping, with Plastic Cover	\$60
FC	OTR	EST WID	TH:	
	0	60073	Standard Footrest Width Seat Width Minus 5.0" (Minimum Footrest Width - 8.0")	\$0
	$\circ$	60078	Custom Footrest Width (See Specials Request Box)	\$54
FC	OTR	EST HEI	GHT FROM FLOOR:	
	$\circ$		1.0" - 5.5" From Floor	\$0
		60023		\$60
FC	OTR	EST LOC	ATION:	
	0	60033	Standard Footrest Location 95 Degrees - Front Frame to Footrest	\$0
	0	60032	Custom Footrest Location May specify front frame angle or distance from front of footrest to center of headtube. (See Specials Request Box)	\$54
UF	GRA	DE OPT	IONS:	
	0	60030	Small Click Strap, Single Pad	\$90
SLING SYL	E:			
O 60035	Sling	g Style F	ootrest	\$151
FC	FOOTREST PLATE:			
	0		Sling Upholstery with Plate	\$0
FC	FOOTREST PLATE WIDTH:			
	0		Standard	\$0
FC	OTR		GHT FROM FLOOR:	
	0		1.0" - 5.5" From Floor	\$0
FOOTREST LOCATION:				
	0	60033	Standard	\$0



**Telescoping Style** Footrest (shown with platform plate)




**Telescoping Style** Footrest (shown with no plastic cover)



Sling Style Footrest

CAMBER ANGLE: (see diagram below)				
O 45008	15 Degree Camber	\$0		
<b>45009</b>	18 Degree Camber	\$0		
( 45010 20 Degree Camber \$0				




<b>CENTER OF</b>	CENTER OF GRAVITY: (see diagram below)				
FIXED:					
<b>45052</b>	Fixed at 4.5" with Welded Backrest	\$0			
<b>45053</b>	Fixed at 5.0" with Welded Backrest	\$0			
<b>45054</b>	Fixed at 5.5" with Welded Backrest	\$0			
<b>45055</b>	Fixed at 6.0" with Welded Backrest	\$0			
<b>45056</b>	Fixed at 6.5" with Welded Backrest	\$0			
<b>45057</b>	Fixed at 7.0" with Welded Backrest	\$0			
<b>45058</b>	Fixed at 7.5" with Welded Backrest	\$0			
<b>45059</b>	Fixed at 8.0" with Welded Backrest	\$0			
<u> </u>	Custom Fixed Center of Gravity (See Specials Request Box)	\$54			
ADJUSTABLE	(see exclusions)				
O 45075	Adjustable 3" to 5" with Adjustable Angle Bolt - On Backrest	\$120			
O 45076	Adjustable 4" to 6" with Adjustable Angle Bolt - On Backrest	\$120			
O 45080	Adjustable 5" to 7" with Adjustable Angle Bolt - On Backrest	\$120			



**Fixed Center of Gravity** 

Adjustable Center of Gravity

WHEELBASE: (see definitions) (see Product Guide - Page 8)				
75014	Standard Wheelbase	\$0		
<u></u>	Custom Wheelbase (See Specials Request Box)	\$54		








Custom frames may have stylistic variations. Dimensional properties and tolerances committed to by Top End are defined in the Measurement Definitions Documents, which can be found in the resource center on  $\underline{www.topendwheelchair.com}$ 

SIDE GUARI	SIDE GUARDS:					
FIXED ALUM	NUM: (see exclusions)					
O 20016	Omit Side Guards	\$0				
<u> </u>	Fixed Aluminum: Clamp - On (only available with adjustable Center of Gravity)	\$151				
O 20005	Fixed Aluminum: 6" Above Seat	\$211				
20020	Fixed Aluminum: Same Height as Wheel	\$211				
C 20015 Fixed Aluminum: Custom Height (See Specials Request Box)		\$241				
WELDED TUE	BE: (see exclusions)					
20006	Welded Tube, 6" Above Seat	\$542				
O 20018	Welded Tube: Custom Height (See Specials Request Box)	\$572				

UPHOLSTERY: (see definitions)				
MATERIAL &	COLOR:			
30001	Nylon, Black Upholstery	\$0		
O 30003	Nylon, Digital Camouflage Upholstery	\$90		
SEAT UPHOL	STERY STYLE:			
75013	Standard Adjustable Tension Seat	\$0		
O 73013	Upholstery	γU		
O 75007	Solid Seat	\$211		
BACK UPHOL	STERY STYLE:			
30012	Adjustable Tension Back Upholstery	\$0		
	Adjustable Tension Back Upholstery			
○ 30004	with Leather Flaps and Aluminum	\$90		
	Dome Plugs (see definitions)			
SEAT CUSHIC	ONS:			
30005	2" Soft Foam Cushion	\$0		
○ 30006	3" Soft Foam Cushion	\$37		
○ 30008	2" Hard Foam Cushion	\$60		
O 30009	3" Hard Foam Cushion	\$90		
30010	4" Hard Foam Cushion	\$102		



Wŀ	HEEL SETS	(see Wheel Size Guide - Page 8 for recommenda	tions)
	HEEL SIZE:		
$\bigcirc$	50190	24" (540)	\$0
$\tilde{\Box}$	50191	25" (559)	\$0
$\widetilde{\cap}$	50192	26" (590)	\$0
$\widetilde{\cap}$	50193	700C	\$0
WH	IEEL STYLE	:	7 -
Н	igh Perfor	mance Wheels:	
$\circ$	50194	Omit Wheels & Axles, Build for HP	-\$100 (credit)
	50196	High Performance	\$0
Sı	pinergy W		γo
0	50195	Omit Wheels & Axles, Build for Spinergy	-\$100 (credit)
	50197	Spinergy SLX	\$970
$\overline{\bigcirc}$	50198	Spinergy XSLX	\$1,030
SPC	OKE COLO		71,000
	50273	Red	\$0
$\frac{\circ}{\circ}$	50274	Yellow	\$0 \$0
$\frac{\circ}{\circ}$	50274	Green	\$0
$\frac{0}{0}$	50276	Blue	\$0
$\frac{\circ}{\circ}$	50277	Pink	\$0
$\frac{\circ}{\circ}$	50277	Purple	\$0
$\frac{\circ}{\circ}$	50279	Orange	\$0
$\sim$		Black	\$0
$\frac{0}{0}$	50280 50282	White	\$0 \$0
$\frac{\circ}{\circ}$	50283	Metal (High Performance wheels only)	
$\overline{\bigcirc}$	50283		\$0
	NDRIMS:	Custom (See Page 7)	\$241
ПА	NDKIIVIS:		Ć40
$\bigcirc$	50307	Omit Handrims	-\$40
$\bigcirc$	50297	6 Tabs, Aluminum, Anodized	(credit) \$0
0	50299	12 Tabs, Aluminum, Anodized Spinergy Only	\$97
НΔ	NDRIM M	OUNTING:	
-	50308	Standard Mount	ĊO
0	50309	Close Mount	\$0 \$0
0		Close Mount with Cut Tabs	\$0
TID	50310	Close Mount with Cut Tabs	\$82
TIR	ES:		¢20
0	50169	Omit Tires	-\$30 (credit)
$\bigcirc$	50216	Primo Grey	\$0
$\bigcirc$	50217	Kenda Red	\$37
$\bigcirc$	50218	Kenda Yellow	\$37
$\bigcirc$	50244	IRC Grey 700C Wheels Only	\$151
$\bigcirc$	50243	IRC Red 700C Wheels Only	\$151
TIR	E TO TIRE:		
0	15155	Standard Tire to Tire (Seat Width Plus 2.5")	\$0
0	15157	Custom Tire to Tire (See Specials Request Box)	\$54
		· · · /	





Custom frames may have stylistic variations. Dimensional properties and tolerances committed to by Top End are defined in the Measurement Definitions

Documents, which can be found in the resource center on <a href="https://www.topendwheelchair.com">www.topendwheelchair.com</a>

ACCESSORIES:						
STANDARD:						
<ul><li>25065</li></ul>	Rear Frame	Rear Frame Protector				
② 25066	Calf Strap		\$0			
UPGRADABL	E:					
SAFETY:						
25005	Front Fram	e Protector	\$48			
POSITIONING	<b>6</b> :					
25001	Click Strap,	8" Small	\$90			
<u></u>	Click Strap,	10" Medium	\$97			
25003 Click Strap, 12" Large \$109						
APPAREL:						
O 25084	Lemon Yello	ow Top End T-Shirt	\$24			
C 25085	Grey Top E	nd T-Shirt	\$24			
C 25086	Grey Top E	nd Racer Back Tank Top	\$24			
Ple	ease select a	size for your shirt selection	on:			
	C 25087	Extra Small				
	C 25088	Small				
	C 25089	Medium				
	<u></u>	Large				
	<u> 25091</u>	Extra Large				
	<u></u>	XX Large				
	C 25093	XXX Large				

FRA	FRAME COLOR:					
0	55018	Black	Wet Black	\$0		
$\circ$	55019	Black	Black Prism	\$0		
$\circ$	55017	Black	Stealth Black	\$0		
$\circ$	55010	Blue	Midnight Blue	\$0		
	55011	Blue	Royal Blue	\$0		
	55012	Blue	Electric Blueberry	\$0		
	55023	Grey	Stealth Grey	\$0		
	55053	Green	Agriculture Green	\$0		
	55008	Green	Grasshopper Green	\$0		
	55054	Green	Neon Green	\$0		
	55006	Orange	Sunkissed Orange	\$0		
	55005	Orange	Simple Orange	\$0		
	55051	Orange	Neon Orange	\$0		
$\circ$	55015	Pink	Bubblegum Pink	\$0		
	55057	Pink	Neon Pink	\$0		
	55055	Purple	Lilac Purple	\$0		
$\circ$	55001	Red	Simple Red	\$0		
$\circ$	55002	Red	Tangerine Red	\$0		
	55003	Red	Raspberry Red	\$0		
	55050	Red	Neon Red	\$0		
	55020	Silver	Silver Metallic	\$0		
	55016	White	White Snow	\$0		
0	55007	Yellow	Safety Yellow	\$0		
	55052	Yellow	Neon Yellow	\$0		
$\circ$	55070	Raw	Buffed Aluminum	\$0		

 ${\bf Note: All\ Special\ requests\ are\ subject\ to\ approval,\ additional\ charges\ and\ additional\ lead\ time.}$ 


Special Request 1)	
Special Request 2)	
Special Request 3)	
Special Request 4)	
Special Request 5)	





Custom frames may have stylistic variations. Dimensional properties and tolerances committed to by Top End are defined in the Measurement Definitions

Documents, which can be found in the resource center on <a href="https://www.topendwheelchair.com">www.topendwheelchair.com</a>



**Hub Color** 

Wheel Size Hub Color

	OM SPINERGY SLX:
Spoke	e Color:
F1	
B1	
F2	
B2	
F3	
В3	
F4	
B4	
F5	
B5	
F6	
В6	
F7	
B7	
F8	
B8	
F9	
В9	
F10	
B10	
F11	
B11	
F12	
B12	



CUST	CUSTOM SPINERGY XSLX:						
Spoke	Spoke Color:						
F1							
B1							
F2							
B2							
F3							
В3							
F4							
B4							
F5							
B5							
F6							
В6							
F7							
В7							
F8							
B8							
F9							
В9							
F10							
B10							
F11							
B11							
F12							
B12							





Custom frames may have stylistic variations. Dimensional properties and tolerances committed to by Top End are defined in the Measurement Definitions Documents, which can be found in the resource center on www.topendwheelchair.com

PRODUCT GUIDE:	
SUGGESTED WHEELBASE:	

	CIVED					SEAT	DEPTH			
	FIXED	ADJUSTABLE	12.0"	13.0"	14.0"	15.0"	16.0"	17.0"	18.0"	19.0"
Ē	4.5"	19 <del>2</del> 2	17.5"	17.5"	18.5"	18.5"	19.5"	20.5"	22.5"	22.5"
GRAVITY	5.0"	3"-5"	17.0"	17.0"	18.0"	18.0"	19.0"	20.0"	22.0"	22.0"
CENTER OF GI	5.5"	(S <del>72</del> )	16.5"	16.5"	17.5"	17.5"	18.5"	19.5"	21.5"	21.5"
	6.0"	4"-6"	16.0"	16.0"	17.0"	17.0"	18.0"	19.0"	21.0"	21.0"
E	6.5"	1000	15.5"	15.5"	16.5"	16.5"	17.5"	18.5"	20.5"	20.5"
CEN	7.0"	5"-7"	15.0"	15.0"	16.0"	16.0"	17.0"	18.0"	20.0"	20.0"
	7.5"	197504	14.5"	14.5"	15.5"	15.5"	16.5"	17.5"	19.5"	19.5"
	8.0"	53487	14.0"	14.0"	15.0"	15.0"	16.0"	17.0"	19.0"	19.0"

	FIVED	ADJUSTABLE	SEAT DEPTH							
CENTER OF GRAVITY	FIXED		12.0"	13.0"	14.0"	15.0"	16.0"	17.0"	18.0"	19.0"
	4.5"	2500	16.5"	16.5"	17.5"	17.5"	18.0"	19.0"	20.0"	21.0"
	5.0"	3"-5"	16.0"	16.0"	17.0"	17.0"	17.5"	18.5"	19.5"	20.5"
	5.5"	268	15.5"	15.5"	16.5"	16.5"	17.0°	18.0"	19.0"	20.0"
	6.0"	4"-6"	15.0"	15.0"	16.0"	16.0"	16.5"	17.5"	18.5"	19.5"
	6.5"	268	14.5"	14.5"	15.5"	15.5"	16.0"	17.0"	18.0"	19.0"
	7.0"	5"-7"	14.0"	14.0"	15.0"	15.0"	15.5"	16.5"	17.5"	18.5"
	7.5"	250	13.5"	13.5"	14.5"	14.5"	15.0"	16.0"	17.0"	18.0"
	8.0"	<del></del> 2	13.0"	13.0"	14.0"	14.0"	14.5"	15.5"	16.5"	17.5"

WHEEL SIZE GUIDE:				
Player Specifications:	Junior's / Short Arms	Adult / 3.0 or Lower	Adult / 3.5 or Higher	
Rear Seat Height:	16.0" or less	16.5" to 19.0"	19.0" to 21.0"	
Recommended Wheel Size:	24"	25"	26"	

EXCLUSIONS:		
Adjustable Center of Gravity:	- Not available with Fixed Side Guards or Welded Side Guards.	
High Performance Wheels:	- Custom Spoke Colors are not available Not available with 12 Tab Handrims.	

PRODUCT SPECIFICATIONS:		
Weight Capacity:	250 pounds (113 Kilograms) or 350 pounds (159 Kilograms) with the Heavy Duty Option	
Approximate Box Weight:	44 pounds (20 Kilograms)	
Box Dimensions:	41" x 28" x 28" or 41" x 28" x 33" depending on size of chair.	

DEFINITIONS:			
Assembly and Shipping:	Arrives factory assembled, rear wheels and some accessories will need to be installed. Shipping rate is \$150 for all shipments in the continental US. Freight quotes for shipments outside the continental US are available upon request.		
Heavy Duty Frame:	When Heavy Duty is chosen, the frame will be made out of 1-1/8" 7000 series aluminum and the weight capacity is increased to 350 pounds.		
Extra Frame Depth:	When Extra Frame Depth is chosen the seat upholstery will stop at the selected Seat Depth and the frame will continue beyond. The extra frame is often used to help transfer in and out of the chair.		
Tapered Seat and Footrest Width:	When a tapered seat width is chosen the footrest width will be 2" less than the front seat width unless otherwise noted in the specials section.		
Footrest Location:	Measured as the Front Frame Angle (caster headtube to the footrest.		
Wheelbase:	Wheelbase is measured from the middle of the rear axle to the middle of the caster head tube.		
Upholstery Color:	When camouflage upholstery color is chosen and a seat cushion is chosen, both will be camouflage.		
Leather Flap with Aluminum Dome Plugs:	When the Leather Upgrade is chosen the flaps (part of the upholstery that goes goes down over the back posts) will be made of leather. Also, the caps on the backrest post will be aluminum. This is used to help reinforce the back upholstery and help prevent tearing.		
Buffed Aluminum Frame:	When the Buffed Aluminum Frame Color is chosen the frame will have no paint. The frame tubes will be run through a buffer and then hand buffed. Decals will be applied. This option is generally chosen when a person wants a natural aluminum color/look to the chair and/ or to avoid the chipped paint look.		

#### **Warranty Info:**

Invacare warrants the frames when purchased new and unused to be free from defects in materials and workmanship for a period of three (3) years from the date of purchase from Invacare or a dealer, with a copy of the seller's invoice required for coverage under this warranty. Invacare warrants the upholstered materials (seat and back) and remaining components of this product when purchased new and unused to be free from defects in materials and workmanship for a period of thirteen (13) months from date of purchase from Invacare or a dealer, with a copy of the seller's invoice required for coverage under this warranty