WHITMYER®

Head Support Solutions



Whitmyer is a product line of head supports and accessories that addresses the range of user needs from basic support to multiple-point control. A variety of pad shapes and sizes are available in single, two-pad or three-pad systems with each pad designed to address a specific support purpose.

HEAD SUPPORTS









SPECIALTY PLUSH

CONTOUR CRADLE







S.O.F.T. DUAL SUB-OCCIPITAL Adult & Pediatric



HEADS UP



CUDDLES INFANT

HARDWARE SYSTEMS













COBRA XTRA (Flip-Back shown)

This catalog was designed to help you clearly understand the Whitmyer headrest offering and to easily create a part number for each ordering.

TABLE OF CONTENTS

	- A C	O	חוו	\mathbf{n}	'D -	$\boldsymbol{\Gamma}$
нь	- / \		שוו	$\boldsymbol{\nu}$	ΙН.	
	\rightarrow					


PLUSH Single Pad Headrest	4
SPECIALTY PLUSH Single Pad Headrest	6
CONTOURED CRADLE Single Pad Headrest	8
S.O.F.T. SINGLE SUB-OCCIPITAL	10
S.O.F.T. DUAL SUB-OCCIPITAL Adult & Pediatric	12
HEADS UP Anterior Head Support System	14
CUDDLES INFANT Contoured Cradle or Triple Pad Headrest	16
ACCESSORIES	
LATERAL FACIAL SUPPORTS	17
ANTERIOR SUPPORT OPTIONS	17
HARDWARE SYSTEMS	
AXYS	18
ONYX	18
LINX	18
PR0	18
COBRA XTRA & COBRA XTRA Flip Back	18
CUSTOM MOUNTING OPTIONS	19

PLUSH Single Pad Headrest Systems utilize dual density foam layers on a contoured, curved panel. These single pad headrests are easily adjustable and accommodate changes or inconsistencies in body positioning. Unique "cupping" shape provides posterior support with a high degree of comfort and safety. This basic headrest is ideal for tilt/recline, and has the ability to add lateral support, anterior support, or switches as client's needs change. The larger size pads facilitate safety for clients with behavioral issues and active movements.



PLUSH ORDERING GUIDE

DETERMINE PAD SIZE



SELECT HARDWARE SYSTEM AND PAD COVER (BASED ON PAD SIZE)

2

	AXYS	ONYX	LINX	PRO	COBRA XTRA	COBRA XTRA Flip Back
Pad Size						
		Part Number	ers (Cover sele	ction: L =Lycra V	=Dartex Reversed)	
19"	AXYS-P4 L	ONYX-P4 L	LINX-P4 L	PRO-P4 L	COBRA-P4 L	FB-COBRA-P4 L
	AXYS-P4 V	ONYX-P4 V	LINX-P4 V	PRO-P4 V	COBRA-P4 V	FB-COBRA-P4 V
14"	AXYS-P2 L	ONYX-P2 L	LINX-P2 L	PRO-P2 L	COBRA-P2 L	FB-COBRA-P2 L
	AXYS-P2 V	ONYX-P2 V	LINX-P2 V	PRO-P2 V	COBRA-P2 V	FB-COBRA-P2 V
10"	AXYS-P1 L	ONYX-P1 L	LINX-P1 L	PRO-P1 L	COBRA-P1 L	FB-COBRA-P1 L
	AXYS-P1 V	ONYX-P1 V	LINX-P1 V	PRO-P1 V	COBRA-P1 V	FB-COBRA-P1 V
8"	AXYS-P3 L	ONYX-P3 L	LINX-P3 L	PRO-P3 L	COBRA-P3 L	FB-COBRA-P3 L
	AXYS-P3 V	ONYX-P3 V	LINX-P3 V	PRO-P3 V	COBRA-P3 V	FB-COBRA-P3 V
6"	AXYS-P8 L	ONYX-P8 L	LINX-P8 L	PRO-P8 L	COBRA-P8 L	FB-COBRA-P8 L
	AXYS-P8 V	ONYX-P8 V	LINX-P8 V	PRO-P8 V	COBRA-P8 V	FB-COBRA-P8 V

SELECT MOUNTING BRACKET FOR HARDWARE SYSTEM

	Mounting Brackets								
etachable	0				COBRA XTRA Hardware System includ detachable mounting bracket.				
ă	M2500	M2100-WB	M2300	M2200-WB					
Swing-Away					Select COBRA XTRA Flip Back Hardware System for swing-away capability.				
Ś	M5500	M5100	M5300	M5200					

Specialty PLUSH Single Pad Headrest Systems are formerly custom solutions that are now offered as part of the standard product line including Adjust-A-PLUSH (shown below), Dual Mount and 12" Narrow pads.

SPECIALTY PLUSH



ADJUST-A-PLUSH

Designed for use on clients that exhibit poor head control and require lateral support on at least one side to maintain an upright head posture. Assists in controlling passive and active lateral cervical flexion. Suitable for clients with poor targeting that require some degree of lateral confinement in their headrest. The Adjust-A-PLUSH has two tapered locking joints that can be narrowed or widened to provide maximum lateral support. Zippered cover hides adjustment points.



DUAL MOUNT PLUSH

An extra mount provides added strength making this head support ideal for high tone, high extension clients. The pad is offered in 19" and 14" widths.



NARROW PLUSH

Offers low profile support in a 12" width.





Check out the SPECIALTY PLUSH's versatility and adjustability in action.


www.YouTube.com/user/JAYCushionsandBacks
Click on the playlist:
"Whitmyer Headrest Adjustment Systems"

Scan this QR code to view now!



SPECIALTY PLUSH ORDERING GUIDE

DETERMINE PAD SIZE



SELECT HARDWARE SYSTEM AND PAD COVER (BASED ON PAD SIZE)

OLLEGI HANDWAILE GTOTEM AND TAD GOVER (BAGED GIVE AD GIZE

	AXYS	ONYX	LINX	PRO	COBRA XTRA	COBRA XTRA Flip Back
Pad Size						
3126		Part Numbe	ers (Cover sele	ction: L =Lycra V	/=Dartex Reversed)	
19" Dual	AXYS-P44 L AXYS-P44 V	ONYX-P44 L ONYX-P44 V	LINX-P44 L LINX-P44 V	PRO-P44 L PRO-P44 V	-	-
14" Dual	AXYS-P22 L AXYS-P22 V	ONYX-P22 L ONYX-P22 V	LINX-P22 L LINX-P22 V	PRO-P22 L PRO-P22 V	-	-
12" Narrow	AXYS-P12 L AXYS-P12 V	0NYX-P12 L 0NYX-P12 V	LINX-P12 L LINX-P12 V	PRO-P12 L PRO-P12 V	COBRA-P12 L COBRA-P12 V	FB-COBRA-P12 L FB-COBRA-P12 V
A-A-P Std	AXYS-AP2 L AXYS-AP2 V	ONYX-AP2 L ONYX-AP2 V	LINX-AP2 L LINX-AP2 V	PRO-AP2 L PRO-AP2 V	COBRA-AP2 L COBRA-AP2 V	FB-COBRA-AP2 L FB-COBRA-AP2 V
A-A-P Narrow	AXYS-AP1 L AXYS-AP1 V	ONYX-AP1 L ONYX-AP1 V	LINX-AP1 L LINX-AP1 V	PRO-AP1 L PRO-AP1 V	COBRA-AP1 L COBRA-AP1 V	FB-COBRA-AP1 L FB-COBRA-AP1 V

SELECT MOUNTING BRACKET FOR HARDWARE SYSTEM


Mounting Brackets 1 **1** 5 **COBRA XTRA Hardware System includes** detachable mounting bracket. M2500 M2100-WB M2300 M2200-WB Select COBRA XTRA Flip Back Hardware System for swing-away capability. M5200 M5500 M5100 M5300

Contoured Cradle Head Support's positioning success is derived from its unique anatomic shape. Generically designed to cradle the occiput and provide lateral cervical support, this unit supplies a high degree of comfort and positioning in a simple-to-adjust head support. A single rotational collar adjustment allows positioning for maximum support surface contact. Four pad sizes fit infant to adult. Add lateral facial pads, switches, and/or anterior support for more versatility.

CONTOURED CRADLE



CONTOURED CRADLE ORDERING GUIDE



SELECT HARDWARE SYSTEM AND PAD COVER (BASED ON PAD SIZE)

2

	AXYS	ONYX	LINX	PRO	COBRA XTRA	COBRA XTRA Flip Back
	503-10					
Pad Size		Dort Number	/Cover cole	ation I lyana V	Dortov Poversed)	
		Part Number		,	=Dartex Reversed)	
Large	AXYS-CCS4 L	ONYX-CCS4 L	LINX-CCS4 L	PRO-CCS4 L	COBRA-CCS4 L	FB-COBRA-CCS4 L
	AXYS-CCS4 V	ONYX-CCS4 V	LINX-CCS4 V	PRO-CCS4 V	COBRA-CCS4 V	FB-COBRA-CCS4 V
Med	AXYS-CCS3 L	ONYX-CCS3 L	LINX-CCS3 L	PRO-CCS3 L	COBRA-CCS3 L	FB-COBRA-CCS3 L
	AXYS-CCS3 V	ONYX-CCS3 V	LINX-CCS3 V	PRO-CCS3 V	COBRA-CCS3 V	FB-COBRA-CCS3 V
Small	AXYS-CCS2 L	ONYX-CCS2 L	LINX-CCS2 L	PRO-CCS2 L	COBRA-CCS2 L	FB-COBRA-CCS2 L
	AXYS-CCS2 V	ONYX-CCS2 V	LINX-CCS2 V	PRO-CCS2 V	COBRA-CCS2 V	FB-COBRA-CCS2 V
Large	AXYS-CCP4 L	ONYX-CCP4 L	LINX-CCP4 L	PRO-CCP4 L	COBRA-CCP4 L	FB-COBRA-CCP4 L
C-PLUSH	AXYS-CCP4 V	ONYX-CCP4 V	LINX-CCP4 V	PRO-CCP4 V	COBRA-CCP4 V	FB-COBRA-CCP4 V
Med	AXYS-CCP3 L	ONYX-CCP3 L	LINX-CCP3 L	PRO-CCP3 L	COBRA-CCP3 L	FB-COBRA-CCP3 L
C-PLUSH	AXYS-CCP3 V	ONYX-CCP3 V	LINX-CCP3 V	PRO-CCP3 V	COBRA-CCP3 V	FB-COBRA-CCP3 V
Small	AXYS-CCP2 L	ONYX-CCP2 L	LINX-CCP2 L	PRO-CCP2 L	COBRA-CCP2 L	FB-COBRA-CCP2 L
C-PLUSH	AXYS-CCP2 V	ONYX-CCP2 V	LINX-CCP2 V	PRO-CCP2 V	COBRA-CCP2 V	FB-COBRA-CCP2 V

SELECT MOUNTING BRACKET FOR HARDWARE SYSTEM

	Mounting Brackets							
Detachable	0				COBRA XTRA Hardware System include detachable mounting bracket.			
	M2500	M2100-WB	M2300	M2200-WB				
Swing-Away					Select COBRA XTRA Flip Back Hardware System for swing-away capability.			
S	M5500	M5100	M5300	M5200				

S.O.F.T. Single Sub-occipital Head Supports supply sub-occipital and proximal lateral cervical support via a single curved sub-occipital pad. Unique to our single sub-occipital system is the independent anterior/posterior occipital pad movement. Consistent, repeatable positioning of the client is required for best performance. The addition of lateral facial pads, switches, and anterior supports increase this system's versatility.

S.O.F.T. SINGLE SUB-OCCIPITAL




S.O.F.T. SINGLE ORDERING GUIDE

DETERMINE PAD SIZE





SS10 10" PLUSH occipital w/Adult Single Sub-occipital



SS8
Adult occipital
w/Adult Single Sub-occipital



SS4
Adult occipital w/Pediatric
Single Sub-occipital



\$\$3
Pediatric occipital w/Pediatric
Single Sub-occipital

SELECT HARDWARE SYSTEM AND PAD COVER (BASED ON PAD SIZE)

2


	AXYS	ONYX	LINX	PRO	COBRA XTRA	COBRA XTRA Flip Back
Pad Size						
5120		Part Numbe	ers (Cover sele	ction: L =Lycra V	=Dartex Reversed)	
SS10	AXYS-SS10 L	0NYX-SS10 L	LINX-SS10 L	PRO-SS10 L	COBRA-SS10 L	FB-COBRA-SS10 L
	AXYS-SS10 V	0NYX-SS10 V	LINX-SS10 V	PRO-SS10 V	COBRA-SS10 V	FB-COBRA-SS10 V
SS8	AXYS-SS8 L	ONYX-SS8 L	LINX-SS8 L	PRO-SS8 L	COBRA-SS8 L	FB-COBRA-SS8 L
	AXYS-SS8 V	ONYX-SS8 V	LINX-SS8 V	PRO-SS8 V	COBRA-SS8 V	FB-COBRA-SS8 V
SS4	AXYS-SS4 L	ONYX-SS4 L	LINX-SS4 L	PRO-SS4 L	COBRA-SS4 L	FB-COBRA-SS4 L
	AXYS-SS4 V	ONYX-SS4 V	LINX-SS4 V	PRO-SS4 V	COBRA-SS4 V	FB-COBRA-SS4 V
SS3	AXYS-SS3 L	ONYX-SS3 L	LINX-SS3 L	PRO-SS3 L	COBRA-SS3 L	FB-COBRA-SS3 L
	AXYS-SS3 V	ONYX-SS3 V	LINX-SS3 V	PRO-SS3 V	COBRA-SS3 V	FB-COBRA-SS3 V

SELECT MOUNTING BRACKET FOR HARDWARE SYSTEM

	Mounting Brackets							
Detachable	0				COBRA XTRA Hardware System includ detachable mounting bracket.			
	M2500	M2100-WB	M2300	M2200-WB				
Swing-Away			P		Select COBRA XTRA Flip Back Hardware System for swing-away capability.			
S	M5500	M5100	M5300	M5200				

S.O.F.T. Three Pad Head Supports solve the most challenging head positioning issues. This patented device combines two width and rotationally adjustable sub-occipital pads with an adjustable occipital pad for independent anterior/posterior movement. The added adjustability of the individual suboccipital pads allows adjustment to asymmetrical postures and deformities. This unique pad configuration supplies maximum occipital and proximal lateral cervical support for more aggressive positioning and comfort. Consistent, repeatable positioning of the client is required for best performance. Attaching lateral facial pads, switches, and/or anterior supports adds to this system's versatility.

ADULT & PEDIATRIC



S.O.F.T. DUAL ORDERING GUIDE

DETERMINE PAD SIZE

1



8– 8" PLUSH occipital w/Size-1 Sub-occipitals



5– 10" PLUSH occipital w/Size-1 Sub-occipitals



2– Adult occipital w/Size-2 Sub-occipitals



1- Adult occipital w/Size-1 Sub-occipitals



7- 8" PLUSH occipital w/Size-3 Sub-occipitals



6– Pediatric occipital w/Size-4 Sub-occipitals



4– Adult occipital w/Size-3 Sub-occipitals



3– Pediatric occipital w/Size-3 Sub-occipitals

SELECT HARDWARE SYSTEM AND PAD COVER (BASED ON PAD SIZE)

2

	AXYS	ONYX	LINX	PRO	COBRA XTRA	COBRA XTRA Flip Back
Pad Size						
3126		Part Numbe	ers (Cover sele	ction: L =Lycra V	=Dartex Reversed)	
8	AXYS-8 L AXYS-8 V	ONYX-8 L ONYX-8 V	LINX-8 L LINX-8 V	PRO-8 L PRO-8 V	COBRA-8 L COBRA-8 V	FB-COBRA-8 L FB-COBRA-8 V
5	AXYS-5 L	ONYX-5 L	LINX-5 L	PRO-5 L	COBRA-5 L	FB-COBRA-5 L
9	AXYS-5 V	ONYX-5 V	LINX-5 V	PRO-5 V	COBRA-5 V	FB-COBRA-5 V
2	AXYS-2 L AXYS-2 V	0NYX-2 L 0NYX-2 V	LINX-2 L LINX-2 V	PRO-2 L PRO-2 V	COBRA-2 L COBRA-2 V	FB-COBRA-2 L FB-COBRA-2 V
	AXYS-1 L	ONYX-1 L	LINX-1 L	PRO-1 L	COBRA-1 L	FB-COBRA-1 L
1	AXYS-1 V	ONYX-1 V	LINX-1 V	PRO-1 V	COBRA-1 V	FB-COBRA-1 V
7	AXYS-7 L AXYS-7 V	ONYX-7 L ONYX-7 V	LINX-7 L LINX-7 V	PRO-7 L PRO-7 V	COBRA-7 L COBRA-7 V	FB-COBRA-7 L FB-COBRA-7 V
6	AXYS-6 L	ONYX-6 L	LINX-6 L	PRO-6 L	COBRA-6 L	FB-COBRA-6 L
О	AXYS-6 V	ONYX-6 V	LINX-6 V	PRO-6 V	COBRA-6 V	FB-COBRA-6 V
4	AXYS-4 L	ONYX-4 L	LINX-4 L	PRO-4 L	COBRA-4 L	FB-COBRA-4 L
	AXYS-4 V	ONYX-4 V	LINX-4 V	PRO-4 V	COBRA-4 V	FB-COBRA-4 V
3	AXYS-3 L	ONYX-3 L	LINX-3 L	PRO-3 L	COBRA-3 L	FB-COBRA-3 L
	AXYS-3 V	ONYX-3 V	LINX-3 V	PRO-3 V	COBRA-3 V	FB-COBRA-3 V

SELECT MOUNTING BRACKET FOR HARDWARE SYSTEM

3

			Moun	ting Brackets
Detachable	0			
	M2500	M2100-WB	M2300	M2200-WB
Swing-Away				
Ś	M5500	M5100	M5300	M5200

COBRA XTRA Hardware System includes detachable mounting bracket.

Select COBRA XTRA Flip Back Hardware System for swing-away capability.

The Heads Up is an innovative head support designed to maximize clients' interaction with their environment by providing anterior, posterior and lateral support of the head and neck. It features swing-out, adjustable arms to easily accommodate client transfers and varying client presentations.

HEADS UP

ANTERIOR AND LATERAL STABILIZATION OF SHOULDERS AND TRUNK FOR OPTIMAL HEAD CONTROL

- Innovative anterior stabilization arms
- Swing-out for easy transfer that maintains head support
- · Lower lateral adjustments to accommodate varying body shapes

TWO DIFFERENT INDUSTRY-PROVEN POSTERIOR SUPPORT OPTIONS:

- Contoured Cradle
- · Single Sub-Occipital

CHIN PAD INCLUDED







Check out the HEADS UP's versatility Scan this QR code and adjustability in action.

www.YouTube.com/user/JAYCushionsandBacks Click on the playlist: "Whitmyer Headrest Adjustment Systems"

to view now!



HEADS UP ORDERING GUIDE

The Heads Up features easy to create Smart Part numbers for configuring the headrest. Follow the 8 easy steps below to generate a head support part # and mounting bracket that can be added into our online ordering system or ordered through customer service.

EXAMPLE SMART PART #: AXYS-HU-ITSSL: Heads Up with AXYS Hardware - Infant Size, Tall Height,

+ Short Arms, Standard Foam, Lycra (Neoprene) Cover

M2500: AXYS Mounting Brackt

SELECT HARDWARE SYSTEM Begin part # with hardware selection followed by -HU for Heads Up

AXYS	ONYX	LINX	PRO	COBRA XTRA	COBRA XTRA Flip Back
AXYS-HU-	ONYX-HU-	LINX-HU-	PRO-HU-	COBRA-HU-	FBCOB-HU-

SELECT NECK WIDTH (MAXIMUM) Add Selection to Smart Part #

Infant (2.8")	Infant (2.8") Small (3.5")		Large (5.3")	
I	S	М	L	



SELECT PAD HEIGHT Add Selection to Smart Part #

Tall	Short	
Т	S	





Short shown with Occipital Pad (Step 7)

SELECT SWING-OUT SUPPORT ARM LENGTH Add Selection to Smart Part #

Short	Long	
S	L	



Infant & Small	Medium & Large
Short: 5.6"	Short: 7"
Long: 7.3"	Long: 9"

SELECT FOAM TYPE Add Selection to Smart Part #

Standard	Comfort	
S	C	

	Infant	Small	Medium	Large
Standard	0.4"	0.5"	0.6"	0.7"
Comfort	0.6"	0.6"	0.8"	0.9"

SELECT COVER Add Selection to Smart Part #

Lycra (Neoprene)	Reversed Dartex	
L	V	

IF YOU DO NOT WANT TO ADD AN OCCIPITAL PAD, YOUR PART NUMBER FOR THE HEAD SUPPORT IS COMPLETE. PLEASE PROCEED TO STEP 8 TO SELECT MOUNTING BRACKET.

SELECT OPTIONAL OCCIPITAL PAD* Add Selection to Smart Part #

	Pediatric 5" Pad	Adult 6" Pad	Plush 8" Pad	Plush 10" Pad
	(for Short Infant size)	(for Short Small size)	(for Short Medium size)	(for Short Large size)
ghts only.	-05	-06	-08	-010

*Available on short heights only

SELECT MOUNTING BRACKET Add part # separate from the Smart Part #

	Mounting Brackets for:								
	AXYS ONYX LINX PRO COBRA XTRA COBRA Flip E								
Detachable	M2500	M2100-WB	M2300	M2200-WB		ware System includes ounting bracket.			
Swing-Away	M5500	M5100	M5300	M5200		A Flip Back Hardware g-away capability.			

Cuddles infant three pad head support and contoured cradle head support offer the same innovative technology as the adult versions, just sized for an infant.

CUDDLES INFANT



ORDERING GUIDE

DETERMINE PAD SIZE

S.O.F.T. Infant Occipital w/Infant Sub-occipitals



CCS Infant Contoured Cradle Pad

SELECT HARDWARE SYSTEM AND PAD COVER (BASED ON PAD SIZE)


2

	AXYS	ONYX			
Pad Size	900				
JIZC	Part Numbers				
S.O.F.T.	AXYS-INFT L	ONYX-INFT L			
3.U.F.I.	AXYS-INFT V	ONYX-INFT V			
ccs	AXYS-CCS1 L	ONYX-CCS1 L			
UUS	AXYS-CCS1 V	ONYX-CCS1 V			

Cover selection: L=Lycra V=Dartex Reversed

SELECT MOUNTING BRACKET FOR HARDWARE SYSTEM


3



CUDDLES INFANT ANTERIOR & LATERAL SUPPORTS







Check out the CUDDLES INFANT's versatility and adjustability in action.

www.YouTube.com/user/JAYCushionsandBacks Click on the playlist: "Whitmyer Headrest Adjustment Systems"

Scan this QR code to view now!



Lateral Facial Pads can be configured to accommodate or block lateral flexion deviations and/or rotation patterns or function to supply general support surfaces or switch placement above the cervical level. A rearward mounting hardware pivot point allows the pads to move out-of-the-way during transfers or when not in use. Curved ball rods allow placement of pads around the head laterally or anteriorly. A choice of 7 uniquely shaped pad sizes, 5 of which are malleable; ensure the ability to match the pad with the area needing support.

LATERAL FACIAL SUPPORTS

Part numbers for the pads and hardware are listed below.
Hardware is swing-away and must be ordered with the pad part number.


NOTE: All lateral supports come with swing-away hardware



Unilateral



Bilateral



						Ø.	
SPOT	STANDARD	LONG	OVAL	LARGE-C	MED-C	SMALL-C	FSO-B
	<u> </u>		(a)	0		8	20
	Part Numbers Cover selection: Add L=Lycra or V=Dartex Reversed. Example: LFC-PLL						
Plush & Spec.Plush LFC10-PL & LM115	Plush & Spec.Plush LFC15-PL & LM115	Plush & Spec.Plush LFC20-PL & LM115	Plush & Spec.Plush LFC25-PL & LM115	Plush & Spec.Plush LFC30-PL & LM115	Plush & Spec.Plush LFC35-PL & LM115	Plush & Spec.Plush LFC40-PL & LM115	Plush & Spec.Plush LFC80-PL & LM115

ਰ	& LIVI115	& LM1115	& LM115	& LM115	& LM1115	& LM1115	& LM115	& LM115
niLater	Cont.Cradle/Heads Up							
	LFC10-CS	LFC15-CS	LFC20-CS	LFC25-CS	LFC30-CS	LFC35-CS	LFC40-CS	LFC80-CS
	& LM115							
	S.O.F.T. Single, Adult/Peds							
	LFC10	LFC15	LFC20	LFC25	LFC30	LFC35	LFC40	LFC80
	& LM115							
_	Plush & Spec.Plush							
	LFC10-PL2	LFC15-PL2	LFC20-PL2	LFC25-PL2	LFC30-PL2	LFC35-PL2	LFC40-PL2	LFC80-PL2
	& (2) LM115							
BiLater	Cont.Cradle/Heads Up							
	LFC10-CS2	LFC15-CS2	LFC20-CS2	LFC25-CS2	LFC30-CS2	LFC35-CS2	LFC40-CS2	LFC80-CS2
	& (2) LM115							
	(2) LFC10	(2) LFC15	(2) LFC20	(2) LFC25	(2) LFC30	(2) LFC35	(2) LFC40	(2) LFC80
	& (2) LM115							


Anterior Supports are excellent for low tone individuals with poor head balance, individuals exhibiting forward flexion patterns, or individuals who require an upright head position for medical reasons, i.e. compromised respiration and swallowing. Successfully used for task oriented applications, such as classroom interaction or during meals. The addition of a Strap Cap brings a low profile solution to anterior support for individuals who may not be successful with the strap.

ANTERIOR SUPPORT OPTIONS

	DYNAMIC FOREHEAD STRAP	DFS ²	STRAP CAP	STATIC FOREHEAD STRAP
	Part Numbers			
Adult	DFS10	DFSQ10	CAP10 (black)	HU10
Peds	DFS30	DFSQ30	CAP30-R (red) CAP30-B (blue)	HU10


MOUNTING HARDWARE OPTIONS

Each head support pad is available with most of the hardware options listed below. Part numbers for order can be found on the detailed head support product pages.



AXYS is a compact mounting system that features a black chrome finish combined with a ½" steel square rod. It was designed for rigorous applications, ease of adjustment, and simple modifications.

Height: **Horizontal Depth:** 6" Pitch Adjustment: 30°



LINX is a contemporary styled mounting hardware that combines two simple, unique points of adjustment which allows full anterior/posterior fluid movement, creating an infinite range of support surface placement. It features satin black tubing with contrasting polished aluminum clamps and knurled mounting ball ensures stay-in-place adjustments.


Height adjustment:

Horizontal Depth: 8.5" forward,

34" rearward

Pitch Adjustment: 300

The **COBRAXTRA** Mounting System incorporates a sleek and unobtrusive design that eliminates protrusions towards the rear of the chair. With superior strength and positioning range, the COBRA XTRA Mounting System is available in Small (Early Intervention and Pediatric), Medium (Pediatric), and Large (Adult). The components are modular and easily changed in the field to enable exact positioning of the head support pad even if the user's head position changes from the time of the initial prescription.



Part # Adult: CBRA7010 Part # Peds: CBRA7030 Part # E.I.: CBRA7080

Adult

Height adjustment: 6.5" 6.5" forward, Horizontal Depth Adj:

2" rearward

Pitch Adjustment:

Pediatric

Height adjustment: 3.5"

Horizontal Depth Adj: 5" forward,

1.5" rearward


Pitch Adjustment:

Early Intervention


Height adjustment: 3.5" Horizontal Depth Adj: 4" forward,

1/2" rearward


Pitch Adjustment:



Part # Adult: 0X7010 Part # Peds: 0X7030



Part # Adult: PRC7010 Part # Peds: PRC7030



Part # Adult: CBRA5010 Part # Peds: CBRA5030 Part # E.I.: CBRA5080

ONYX is a compact mounting solution that features a black chrome finish combined with a small profile 7/8" steel rod. It was designed for rigorous applications, ease of adjustment, and simple modifications.

Pediatric

Height adjustment: Horizontal Depth Adj: 1" to 6" 30° Pitch Adjustment:

Height adjustment: Horizontal Depth Adj: 1" to 8" Pitch Adjustment: 3No

The PRO Mounting System is a proven hardware option for demanding applications. This mounting system features 1.25" aluminum extrusion and is ideal for use when client strength or strong tonal patterns are an issue.

Pediatric

Height adjustment:

Horizontal Depth Adi: 1.5" forward,

6" rearward

Pitch Adjustment: 45°

Adult

Height adjustment:

Horizontal Depth Adj: 1.5" forward,

8" rearward

Pitch Adjustment: 45°

The **COBRA XTRA Flip Back** Mounting System is operated by a single push-button on the side of the bracket and neatly flips the assembly back behind the wheelchair back. With superior strength and positioning range, the COBRA XTRA Flip Back Mounting System is available in Small (Early Intervention and Pediatric), Medium (Pediatric), and Large (Adult). The components are modular and easily changed in the field to enable exact positioning of the head support pad even if the user's head position changes from the time of the initial prescription.

Adult

Height adjustment: 6.5" Horizontal Depth Adj: 6.5" forward,

2" rearward

Pitch Adjustment: 300

Pediatric

Height adjustment: 3.5" Horizontal Depth Adj: 5" forward,

1.5" rearward

Pitch Adjustment: 30°


Early Intervention

Height adjustment: 3.5" Horizontal Depth Adj: 4" forward,

1/2" rearward

Pitch Adjustment: 30°


CUSTOM MOUNTING OPTIONS



FLEX INTERFACE BRACKET

The Flex Interface Bracket provides upward flex, travel, and return when the head support is extended against. This dynamic motion assists in maintaining head support contact throughout the user's extensor pattern. The Flex Interface Bracket utilizes elastomeric bushings engineered to supply the correct resistance-to-force while allowing the head support to return to the adjusted position. Used between the head support mount and contact surface, the Flex Interface Bracket can be used with most Whitmyer head support accessories.


Part Number: M9450



UNIVERSAL SWING-AWAY MOUNT

Whitmyer detach brackets attach to our universal swing-away mount. When attached to the swing-away mount, the assembly becomes a combination detach/swing-away mounting bracket.

Part Number: M5000



SLIDE MOUNT

This slotted plastic plate allows the headrest/head support to be positioned in a more perpendicular fashion behind the head of individuals who present with a significant amount of asymmmetry. The plate bolts into the chair's existing hole pattern and allows 4" of movement left or right. Perfect for trying off-set head support locations, adjusting for misplaced T-nut locations and relocating the head support to be more in line with the direction of applied forces.


Part Number: M7010



PRO OFF-SET MOUNTING SYSTEM

PRO system off-set bracket provides 2-1/2" of rearward adjustment to the horizontal bar. Flipping the horizontal bar will also allow for 2-1/2" of forward adjustment.

Part Number: PRC7070



ONYX REARWARD OFF-SET VERTICAL ROD

ONYX off-set vertical rod provides 2-1/2" of rearward/forward adjustment to the horizontal rod.

Part Number: OX6030

Whitmyer Head Supports can be ordered with any Quickie®, Zippie® or Breezy® mobility product base and as a great addition to a JAY® standard or custom seating solution.

Order them together to ensure compatibility prior to shipment and save time and money with ONE ORDER and ONE INVOICE.

Sunrise MobilityLink

