Effective Jan 2024 (New Items in Red)

PROVIDER INFORMATION

FOLDING FRAME

RTS INFORMATION

PROVI	DER:		Account #:		RTS:		Phone:		
PO:		Ordered By:		Email:					
Email:					SHIP TO INFOR	MATION			
Mark I	or:		User Weight:		Name:		Ship Via:		
TiLite 5	Sales Rep:				Address:		- r		
	Information:		Promo Code:		City:		State:	Zip:	
Ship Date: Order #:				Phone:		Fax:			
More	•	•		•		ntact customer service f			options.
	Plea	se Email or Fax to t	the Permobil Manual	Customer Experie	ence Team at tili	tesales@permobil.co	m or 509.586.24	L3	
_		_							
3	FRAME STYL AXFS1		um Frama /Full Adiuste	hility OCE Downed Wa	inht Limit			¢2 506	K0005
	G2FS1		, ,	•	•	ght Weight and High Strer		.\$2,500	KUUUS
	02. 0.						•	\$2,106	
	XFS1	☐ Swing Away						STD	K0005
	XFS3	☐ Hemi Height Fr	ame (Available with a F	ront Seat Height of 13	3.5" - 20" (34-51cm)). Not Available with Depti	h Adjustable		
	VE00								1/0005
	XFS2 XHDR1	☐ Hoavy Duty Fra	amo /250 Pound Weigh	Limit Includes Ton	sion Adjustable by S	Straps Back Upholstery. A	vailable with 10" to	NCO	K0005
	ALIDKI					iliaps back opiloistery. A		\$472	
	XPWR1					t Depth B are selected. R			
		•				orks)		\$369	
	XRFR1					r Heavy Duty is selected.,			
			5)						
MAR		VER ASSIST SYS							
						3.5")			E0986
164612						NEXMAXSD18 ☐ Switch			
	AEXMAXSD8								
								<u>\$</u> 22	
	*SmartDrive app	s available on Apple A	pp Store and Google Pla	y Store for Apple Wa	tch Series 5 or new	er and Samsung Galaxy I	Watch 4 or newer.		
TRAN	ISIT OPTION	S							
	XTTDO1					ailable with 2GX2, Heavy			
		Height Frame, Swing Denth Adjustable Bac	Away Tubular Armrests o	or Swing Away- Flip B es minimum seat den	ack Tubular Armres th of 14" Please rei	ts. Requires a Folding Sta fer to the Aero X Transit T	abilizer Bar unless a ie-Down Ontion		
						or to the rior of transit i		\$363	
			. •						
	XWTB	☐ Transport Brack	et Option (Consists of fo	our Tie-Down Bracket available with Swing	s. Unoccupied Use	Only.) (Not Available whei est or Swing Away -Flip Ba	n Swing Away frame		
						est of Swing Away -1 lip be			
			,	•	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				
	/IE FINISHES Natural Finishe								
	XFF1		vith Titanium Frame only)				STD	
	XSCBT1							-	
	XFF3	☐ Tattoos (Tattoos o	on front frame tubes. Tita	anium frame finished	in Satin. Aluminum	frame tattooed in blasted	d aluminum with clea	ar	
		coat. Tattoos will be tr	rimmed and adjusted to fi	t your frame.)		ver Garden		\$363	
	XFF45	■ NeedFor Speed			XFF44 ☐ Flow	er Garden			
	300000	2 TiDa			- 200		00000		
	0000000		O NR RARARARA N			QUA CHAN IN	90%		
	XFF43 ☐ Mos	aic							
	_1125.2		* 751033 € I V						
	KANINE NE	然間於		•					
	High Gloss Pa	aint D XFF8 His	gh Gloss Black	☐ XFF10 TiLite	Red	☐ XFF29 Neon Pin	k		
	Metallic Paint		Ocean Blue Metallic	☐ XFF15 Tange		☐ XFF30 Acid Gree			
	Pearlescent P		/lidnight Blue Pearl	☐ XFF18 White		55 . 1514 5161			
	Matte Paint	□ XFF19 B	•	☐ XFF27 Titani					
	Candy Paint	☐ XFF22 R		☐ XFF23 Azure	•	☐ XFF25 Electric F	lum		
	•	d Paint □ XFF40 ⊢	•	☐ XFF41 Flame	e Orange	☐ XFF42 OD Gree	n	STD	



Page 1 of 7

TiLite Aero X Order Form

Effective Jan 2024 (New Items in Red)

FOLDING FRAME Page 2 of 7

Measurements shown below are our most popular selections. Not seeing what you want? Contact customer service or visit our Creative Mobility Division (CMD) catalog here to view additional options.

XSW1 XSW2	□ 12" □ 13" □ 14" □ 1 □ 20" □ 21" □ 22" (21" an	15" □ 16" □ 17" □ ad 22" Seat Widths A are only	18" 🗖 19" available with Heavy Duty Frame.)	STD \$536
		3	3		
	I B Measure from 1/2" in front of and 26" (560) Rear Wheels.)		3 (,
XSD1	□ 12" □ 13" □ 14" □	15" 🗆 16" 🗅 17" 🗆	I 18" □ 19"		STD
XSD2 XSD3	20"CustomFrame Depth:	" Frame Depth Longe	r Than Seat Depth (Use 1" incl	ements with a maximum of 2" A	\$568 \
- *	Custom Frame Depth with a maxin				
FRONT SEAT	T HEIGHT RANGES Front Wheel Size 3" Front Wheel	Front Seat Height C	Hemi Front Seat Height C	_	
FRONT SEAT	Front Wheel Size 3" Front Wheel 3" Front Wheel w/ Glide TM 4" Front Wheel 4" Front Wheel w/ Glide TM 5" Front Wheel 5" Front Wheel w/ Glide TM 6" Front Wheel 6" Front Wheel w/ Glide TM	14.5" – 18.5" 16.5" – 17.5" 15.5" – 19.0" 17.0" – 18.0" 16.5" – 19.5" 17.5" – 18.5" 17.5" – 20.0" 19.0"	13.5" - 17.5" 15.0" - 17.0" 14.5" - 18.0" 15.5" - 17.0" 16.0" - 18.5" 16.5" - 18.0" 16.5" - 19.0" 17.5" - 18.0"	_	
XFSH1	Front Wheel Size 3" Front Wheel 3" Front Wheel w/ Glide™ 4" Front Wheel 4" Front Wheel w/ Glide™ 5" Front Wheel 5" Front Wheel w/ Glide™ 6" Front Wheel 6" Front Wheel w/ Glide™ 8" Front Wheel □ 13.5" □ 14" □ 14.5" □ 17.5" □ 18.0" □ 18.5"	14.5" - 18.5" 16.5" - 17.5" 15.5" - 19.0" 17.0" - 18.0" 16.5" - 19.5" 17.5" - 18.5" 17.5" - 20.0" 19.0" 19.5" - 21.0"	13.5" - 17.5" 15.0" - 17.0" 14.5" - 18.0" 15.5" - 17.0" 16.0" - 18.5" 16.5" - 18.0" 16.5" - 19.0" 17.5" - 18.0" 18.5" - 19.5" 3"	6.5" □ 16.5" □ 17.0"	STD
XFSH1	Front Wheel Size 3" Front Wheel 3" Front Wheel w/ Glide™ 4" Front Wheel w/ Glide™ 5" Front Wheel w/ Glide™ 5" Front Wheel 6" Front Wheel 6" Front Wheel w/ Glide™ 8" Front Wheel □ 13.5" □ 14" □ 14.5"	14.5" - 18.5" 16.5" - 17.5" 15.5" - 19.0" 17.0" - 18.0" 16.5" - 19.5" 17.5" - 18.5" 17.5" - 20.0" 19.0" 19.5" - 21.0"	13.5" - 17.5" 15.0" - 17.0" 14.5" - 18.0" 15.5" - 17.0" 16.0" - 18.5" 16.5" - 18.0" 16.5" - 19.0" 17.5" - 18.0" 18.5" - 19.5" 3"	6.5" □ 16.5" □ 17.0"	STD
XFSH1	Front Wheel Size 3" Front Wheel 3" Front Wheel w/ Glide™ 4" Front Wheel 4" Front Wheel w/ Glide™ 5" Front Wheel 5" Front Wheel w/ Glide™ 6" Front Wheel 6" Front Wheel w/ Glide™ 8" Front Wheel □ 13.5" □ 14" □ 14.5" □ 17.5" □ 18.0" □ 18.5" HEIGHT D Measure from floor to	14.5" – 18.5" 16.5" – 17.5" 15.5" – 19.0" 17.0" – 18.0" 16.5" – 19.5" 17.5" – 18.5" 17.5" – 20.0" 19.0" 19.5" – 21.0" 19.0"	13.5" - 17.5" 15.0" - 17.0" 14.5" - 18.0" 15.5" - 17.0" 16.0" - 18.5" 16.5" - 18.0" 16.5" - 19.0" 17.5" - 18.0" 18.5" - 19.5" 3"	6.5" □ 16.5" □ 17.0"	STD
XFSH1	## Front Wheel Size 3" Front Wheel 3" Front Wheel 4" Front Wheel 4" Front Wheel 4" Front Wheel 4" Front Wheel 5" Front Wheel 5" Front Wheel 5" Front Wheel 6" Front Wheel 6" Front Wheel 4" 14.5" 17.5" 18.0" 18.5" 14" 14.5" 14.0" 14.5" 22" 13.0" 24" 14.0" 25" 14.0" 25" 14.0" 26" 15.0" 15.0" 15.0" 13" 13" 13.5" 14" 14" 14" 14" 14" 15" 14" 15" 14" 15" 14" 15" 15.0" 14" 15" 14" 15" 14" 15" 14" 15" 15" 14" 15" 15" 14" 15" 15" 14" 15" 15" 14" 15" 15" 14" 15" 15" 14" 15" 15" 14" 15" 15" 14" 15" 15" 14" 15" 15" 14" 15" 15" 14" 15" 15" 14" 15" 15" 14" 15" 15" 15" 14" 15" 15" 15" 14" 15	14.5" - 18.5" 16.5" - 17.5" 15.5" - 19.0" 17.0" - 18.0" 16.5" - 19.5" 17.5" - 18.5" 17.5" - 20.0" 19.0" 19.5" - 21.0" 19.0"	13.5" - 17.5" 15.0" - 17.0" 14.5" - 18.0" 15.5" - 17.0" 16.0" - 18.5" 16.5" - 18.0" 16.5" - 19.0" 17.5" - 18.0" 18.5" - 19.5" 3"	3.5" □ 16.5" □ 17.0" nents. □ 17.5" □ 18" □ 18.5	,
XFSH1 REAR SEAT	## Front Wheel Size 3" Front Wheel 3" Front Wheel 4" Front Wheel 4" Front Wheel 4" Front Wheel 4" Front Wheel 5" Front Wheel 5" Front Wheel 5" Front Wheel 6" Front Wheel 6" Front Wheel 4" 14.5" 17.5" 18.0" 18.5" 14" 14.5" 14.0" 14.5" 22" 13.0" 24" 14.0" 25" 14.0" 25" 14.0" 26" 15.0" 15.0" 15.0" 13" 13" 13.5" 14" 14" 14" 14" 14" 15" 14" 15" 14" 15" 14" 15" 15.0" 14" 15" 14" 15" 14" 15" 14" 15" 15" 14" 15" 15" 14" 15" 15" 14" 15" 15" 14" 15" 15" 14" 15" 15" 14" 15" 15" 14" 15" 15" 14" 15" 15" 14" 15" 15" 14" 15" 15" 14" 15" 15" 14" 15" 15" 14" 15" 15" 15" 14" 15" 15" 15" 14" 15	14.5" - 18.5" 16.5" - 17.5" 15.5" - 19.0" 17.0" - 18.0" 16.5" - 19.5" 17.5" - 18.5" 17.5" - 20.0" 19.0" 19.5" - 21.0" 19.0"	13.5" - 17.5" 15.0" - 17.0" 14.5" - 18.0" 15.5" - 17.0" 16.0" - 18.5" 16.5" - 19.0" 17.5" - 18.0" 18.5" - 19.5" 3"	3.5" □ 16.5" □ 17.0" nents. □ 17.5" □ 18" □ 18.5	,
XFSH1 REAR SEAT XRSH1 SUPPORTS	## Front Wheel Size 3" Front Wheel 3" Front Wheel 4" Front Wheel 4" Front Wheel 4" Front Wheel 4" Front Wheel 5" Front Wheel 5" Front Wheel 6" Front Wheel 6" Front Wheel 6" Front Wheel 13.5"	14.5" - 18.5" 16.5" - 17.5" 15.5" - 19.0" 17.0" - 18.0" 16.5" - 19.5" 17.5" - 18.5" 17.5" - 20.0" 19.0" 19.5" - 21.0" 19.0"	13.5" - 17.5" 15.0" - 17.0" 14.5" - 18.0" 15.5" - 17.0" 16.0" - 18.5" 16.5" - 19.0" 17.5" - 18.0" 18.5" - 19.5" 3"	3.5" □ 16.5" □ 17.0" nents. □ 17.5" □ 18" □ 18.5	,
XFSH1 REAR SEAT XRSH1 SUPPORTS COMFORT A	## Front Wheel Size 3" Front Wheel 3" Front Wheel 4" Front Wheel 5" Front Wheel 5" Front Wheel 6" Front Wheel 6" Front Wheel 6" Front Wheel 4"	14.5" – 18.5" 16.5" – 17.5" 15.5" – 19.0" 17.0" – 18.0" 16.5" – 19.5" 17.5" – 18.5" 17.5" – 20.0" 19.0" 19.5" – 21.0" 19.0"	13.5" — 17.5" 15.0" — 17.0" 14.5" — 18.0" 15.5" — 17.0" 16.0" — 18.5" 16.5" — 19.0" 17.5" — 18.0" 18.5" — 19.5" "	6.5"	STD \$616
XFSH1 REAR SEAT XRSH1 SUPPORTS COMFORT A	Front Wheel Size 3" Front Wheel 3" Front Wheel w/ Glide™ 4" Front Wheel 4" Front Wheel w/ Glide™ 5" Front Wheel w/ Glide™ 6" Front Wheel w/ Glide™ 6" Front Wheel w/ Glide™ 8" Front Wheel w/ Glid	14.5" – 18.5" 16.5" – 17.5" 15.5" – 19.0" 17.0" – 18.0" 16.5" – 19.5" 17.5" – 18.5" 17.5" – 20.0" 19.0" 19.5" – 21.0" 19.0"	13.5" - 17.5" 15.0" - 17.0" 14.5" - 18.0" 15.5" - 17.0" 16.0" - 18.5" 16.5" - 19.0" 17.5" - 18.0" 18.5" - 19.5" 3"	6.5"	, STD \$616 \$TD
XFSH1 REAR SEAT XRSH1 SUPPORTS COMFORT A	Front Wheel Size 3" Front Wheel 3" Front Wheel w/ Glide™ 4" Front Wheel w/ Glide™ 5" Front Wheel w/ Glide™ 6" Front Wheel w/ Glide™ 6" Front Wheel w/ Glide™ 8" Front Wheel w/ Glide™ 8" Front Wheel □ 13.5" □ 14" □ 14.5" □ 17.5" □ 18.0" □ 18.5" HEIGHT D Measure from floor to Rear Wheel Size Rear S 22" 13.0" □ 24" 14.0" □ 25" 14.0" □ 25" 14.0" □ 26" 15.0" □ □ 13" □ 13.5" □ 14" □ 19" □ 19.5" □ 20" CTA-BACK® Back Support □ Acta-Back with 2-PT Quick □ 10" □ 12" □ 14" □ 16" □ 18 □ 20"	14.5" – 18.5" 16.5" – 17.5" 15.5" – 19.0" 17.0" – 18.0" 16.5" – 19.5" 17.5" – 18.5" 17.5" – 20.0" 19.0" 19.5" – 21.0" 19.0"	13.5" - 17.5" 15.0" - 17.0" 14.5" - 18.0" 15.5" - 17.0" 16.0" - 18.5" 16.5" - 19.0" 17.5" - 18.0" 18.5" - 19.5" "	5.5" □ 16.5" □ 17.0" nents. □ 17.5" □ 18" □ 18.5'	\$TD \$616 \$TD \$83
XFSH1 REAR SEAT XRSH1 SUPPORTS COMFORT A	Front Wheel Size 3" Front Wheel 3" Front Wheel w/ Glide™ 4" Front Wheel 4" Front Wheel w/ Glide™ 5" Front Wheel w/ Glide™ 6" Front Wheel w/ Glide™ 6" Front Wheel w/ Glide™ 8" Front Wheel w/ Glid	14.5" – 18.5" 16.5" – 17.5" 15.5" – 19.0" 17.0" – 18.0" 16.5" – 19.5" 17.5" – 18.5" 17.5" – 20.0" 19.0" 19.5" – 21.0" 19.0"	13.5" - 17.5" 15.0" - 17.0" 14.5" - 18.0" 15.5" - 17.0" 16.0" - 18.5" 16.5" - 19.0" 17.5" - 18.0" 18.5" - 19.5" 3"	3.5" □ 16.5" □ 17.0" nents. □ 17.5" □ 18" □ 18.5'	\$616 \$TD \$83 NCO

TiLite Aero X Order Form

Effective Jan 2024 (New Items in Red) FOLDING FRAME Page 3 of 7

	CTA-BACK® Deep Back	Support				
			e Compass Hardw	are		\$730
•						
	☐ Comfort-Tek Cover ☐	Stretch-Air Cover				NCO
	□ 3" Deep Wing □ 5" D	eep Wing				NCO
	☐ Color Accent (Colored	I piping along the	edge of the cover of	n the backside of	the backrest) Silver	STD
	☐ Red ☐ Purple ☐ Pinl	□ Blue □ Gree	n □ Orange □ Re	emove (no color).		\$30
COMFORT AC	CTA-EMBRACE® Back Se □ 10" □ 12" □ 14" □ 16	upport				
			lease Compass Ha	ardware		\$642
	-					
COMFORT AC	CTA-RELIEF Back Suppo	ort				
	□ 10" □ 12" □ 14" □ 16					
SBRS13	☐ Acta-Relief Back with	2-PT Quick Releas	se Compass Hardv	vare		\$846
SEAT BACK H SEAT BACK T XSB13	YPE		•		of seat tube at rear of frame.	STD
	Folding Stabilizor Por	(Peguired with Trans	oit Tip-Down Ontion	inless Donth Adiusta	ble Backrest is selected. Includes Tensior	עוט.
	T Eived Apple Adirect-	noistery.)	k w/Q Dograa Do-	d (Not available : "	h Hoons Duty From)	⊅4∠3 NCC
XSB14 XSB18					h Heavy Duty Frame.)	
					Frame or Ride Designs® Corbac™.)	\$250
					me, 19" or 20" Seat Depths B, Swing Away	
					Seat Depth B of 18" allow 2" of rearward	
	adjustment. Requires Tension	Adjustable Seat Uphols	tery)			\$244
PUSH HANDL	FS					
XSB6		los				NCO
					k Upholstery. Not available with Heavy	
						¢125
					Dod Hele Idea Net and the Idea	
	Duty Frame, Folding Adjusta	able-Angle and Heigh	t Seat Back, Swing A	way Tubular Armres	Back Upholstery. Not available with Heav ts or Swing Away - Flip Back Tubular	
	FIXED ANGLE ADJUST Frame, Swing Away Tubular Push Handles				Height not available with Heavy Duty ding Stabilizer Bar.)	
	(Selected on Pg. 2)	Short	Tall	Set at: (Use 1	"Increments)	
	None	□ 11.0"- 15.0"	□ 16"- 20"	Set at:		
	Integrated	1 11.0"- 15.0"	□ 16"- 20"	Set at:		
	•	☐ 11.0"- 15.0"	☐ 16"- 20"	Set at:		
	Integrated Fold-Llown					
	Integrated Fold-Down	4 11.0 * 15.0				
	Integrated Fold-Down Bolt-On Height Adj.		□ 16"- 20"	Set at:	<u></u>	
	Bolt-On Height Adj. FOLDING ADJUSTABLI Push Handles	E- ANGLE AND H	☐ 16"-20"	Set at:	a Folding Stabilizer Bar or Heavy Duty Frame)	
XSB18	Bolt-On Height Adj. FOLDING ADJUSTABLI Push Handles (Selected on Pg. 2)	E- ANGLE AND H	□ 16"- 20" EIGHT SEAT BAC Medium	Set at: K E (Not available with	Set at: (Use 1" Increments)	
XSB18	Bolt-On Height Adj. FOLDING ADJUSTABLI Push Handles	E- ANGLE AND H	☐ 16"-20"	Set at: K E (Not available with	-	
XSB18	Bolt-On Height Adj. FOLDING ADJUSTABLI Push Handles (Selected on Pg. 2) None	E- ANGLE AND H Short 11.0" – 13.0"	☐ 16"- 20" EIGHT SEAT BAC Medium ☐ 13.5" – 16.5"	Set at: K E (Not available with Tall 16.5" - 19.5"	Set at: (Use 1" Increments) Set at:	
XSB18	FOLDING ADJUSTABLI Push Handles (Selected on Pg. 2) None Integrated	E- ANGLE AND H Short 11.0" – 13.0" 12.5" – 14.5"	☐ 16"- 20" EIGHT SEAT BAC Medium ☐ 13.5" — 16.5" ☐ 13.5" — 16.5"	Set at: K E (Not available with Tall □ 16.5" – 19.5" □ 17.0" – 19.5"	Set at: (Use 1" Increments) Set at: Set at:	
XSB18 ME MEASURE This shown below	Bolt-On Height Adj. FOLDING ADJUSTABLI Push Handles (Selected on Pg. 2) None Integrated Integrated Fold-Down EMENTS	E- ANGLE AND H Short 11.0" – 13.0" 12.5" – 14.5" 15.0" – 17.0"	☐ 16"- 20" EIGHT SEAT BAC Medium ☐ 13.5" — 16.5" ☐ 13.5" — 16.5" ☐ 16.0" — 19.0"	Set at: Tall 16.5" - 19.5" 17.0" - 19.5" 18.5" - 20.5"	Set at: (Use 1" Increments) Set at: Set at:	ty Divisio
XSB18 ME MEASURE as shown below ag here to view a	FOLDING ADJUSTABLI Push Handles (Selected on Pg. 2) None Integrated Integrated Fold-Down MENTS v are our most popular sel	E- ANGLE AND H Short 11.0" – 13.0" 12.5" – 14.5" 15.0" – 17.0"	☐ 16"- 20" EIGHT SEAT BAC Medium ☐ 13.5" — 16.5" ☐ 13.5" — 16.5" ☐ 16.0" — 19.0"	Set at: Tall 16.5" - 19.5" 17.0" - 19.5" 18.5" - 20.5"	Set at: (Use 1" Increments) Set at: Set at: Set at:	ty Divisio
VIE MEASURE This shown below to yiew a complete to yiew a complete.	FOLDING ADJUSTABLE Push Handles (Selected on Pg. 2) None Integrated Integrated Fold-Down EMENTS v are our most popular sel additional options.	E- ANGLE AND H Short 11.0" – 13.0" 12.5" – 14.5" 15.0" – 17.0" ections. Not seein	☐ 16"- 20" EIGHT SEAT BAC Medium ☐ 13.5" – 16.5" ☐ 13.5" – 16.5" ☐ 16.0" – 19.0" Ing what you want	Set at: Tall □ 16.5" – 19.5" □ 17.0" – 19.5" □ 18.5" – 20.5"	Set at: (Use 1" Increments) Set at: Set at: Set at: Set at: Set at: Control of the property o	
VIE MEASURE This shown below to yiew a complete to yiew a complete.	FOLDING ADJUSTABLE Push Handles (Selected on Pg. 2) None Integrated Integrated Fold-Down EMENTS v are our most popular sel additional options.	E- ANGLE AND H Short 11.0" – 13.0" 12.5" – 14.5" 15.0" – 17.0" ections. Not seein	☐ 16"- 20" EIGHT SEAT BAC Medium ☐ 13.5" – 16.5" ☐ 13.5" – 16.5" ☐ 16.0" – 19.0" Ing what you want	Set at: Tall □ 16.5" – 19.5" □ 17.0" – 19.5" □ 18.5" – 20.5"	Set at: (Use 1" Increments) Set at: Set at: Set at:	ty Divisio
ME MEASURE This shown below The general to view at the company of	Bolt-On Height Adj. FOLDING ADJUSTABLI Push Handles (Selected on Pg. 2) None Integrated Integrated Fold-Down EMENTS v are our most popular sel additional options. Do 2º 2º 4º 0 E H Front Angle H is meas	E- ANGLE AND H Short 11.0" – 13.0" 12.5" – 14.5" 15.0" – 17.0" ections. Not seein	☐ 16"- 20" EIGHT SEAT BAC Medium ☐ 13.5" – 16.5" ☐ 13.5" – 16.5" ☐ 16.0" – 19.0" Ing what you want	Set at: K E (Not available with Tall	Set at: (Use 1" Increments) Set at: Set at: Set at: Set at: Set at: Comparison of the property of the pr	
ME MEASURE This shown below The general to view at the company of	Bolt-On Height Adj. FOLDING ADJUSTABLI Push Handles (Selected on Pg. 2) None Integrated Integrated Fold-Down EMENTS v are our most popular sel additional options. Do D	E- ANGLE AND H Short 11.0" – 13.0" 12.5" – 14.5" 15.0" – 17.0" ections. Not seein	☐ 16"- 20" EIGHT SEAT BAC Medium ☐ 13.5" – 16.5" ☐ 13.5" – 16.5" ☐ 16.0" – 19.0" Ing what you want	Set at:	Set at: (Use 1" Increments) Set at: Set at: Set at: Set at: Set at: arme tube.	
ME MEASURE This shown below The general to view at the second of the sec	Bolt-On Height Adj. FOLDING ADJUSTABLI Push Handles (Selected on Pg. 2) None Integrated Integrated Fold-Down EMENTS v are our most popular sel additional options. D° D	E- ANGLE AND H Short 11.0" – 13.0" 12.5" – 14.5" 15.0" – 17.0" ections. Not seein	□ 16"- 20" EIGHT SEAT BAC Medium □ 13.5" – 16.5" □ 13.5" – 19.0" □ 16.0" – 19.0" Ing what you want	Set at: Tall	Set at: (Use 1" Increments) Set at: Set at: Set at: Set at: er service or visit our Creative Mobili grame tube.	STD
ME MEASURE IN SHOWN beloW IS here to view a CAMBER F XCBR8 FRONT ANGL Swing Away F XFA3	Bolt-On Height Adj. FOLDING ADJUSTABLI Push Handles (Selected on Pg. 2) None Integrated Integrated Fold-Down EMENTS v are our most popular sel additional options. Be H Front Angle H is measured Front End To 70° 80° 85° (Duty Frame, 5" or 6" Front M	E- ANGLE AND H Short 11.0" – 13.0" 12.5" – 14.5" 15.0" – 17.0" ections. Not seein 6°	□ 16"- 20" EIGHT SEAT BAC Medium □ 13.5" – 16.5" □ 13.5" – 16.5" □ 16.0" – 19.0" Ing what you want	Set at: Tall	Set at: (Use 1" Increments) Set at: Set at: Set at: Set at: Set at: arme tube.	STD STD

y Jan 2024 (New	v Items in Red) FOLDING FRAME		Page 4 of
SEAT TO FO	OTREST Measure from front edge of seat sling to top rear of footrest.		
	If your Front Angle H is 70°, 80°, OR 85° select one Seat to Footrest I length and one Footrest type:		
	Standard Footrests Measurement must be at least 2" shorter than Front Seat Height C. 70° Fixed Front has a		
	minimum seat to footrest of 14.5"		
XFTR5	□ 14" □ 14.5" □ 15" □ 15.5" □ 16" □ 16.5" □ 17" □ 17.5" □ 18" □ 18.5" □ 19" □ 19.5" □ 20" □ Elip up Footroot	etn.	
XFTR9	□ Flip-up Footrest □ Depth Adjustable Flip-up Footrest	\$120	K0045
XFTR10	□ Depth & Angle Adjustable Flip-up Footrest (Available for 15"- 20" Seat to Footrest I only.).	\$293	K0040, K0045
XFTR11	☐ Angle Adjustable Flip-up Footrest (Available for 15"- 20" Seat to Footrest। only.)		K0040, K0045
High Mount F	Footrests (Not Available with Luggage Carriers, or Impact Guards.)		•
	□ 7" □ 7.5" □ 8" □ 8.5" □ 9" □ 9.5" □ 10" □ 10.5" □ 11" □ 11.5" □ 12" □ 12.5" □ 13" □ 13.5" □ 14" □ 14.5	,,	
XFTR20	☐ High Mount Flip-up		K0037
XFTR15	☐ Angle Adjustable High Mount Flip-up Footrest	\$352	K0040, K0037
XFTR16	□ Depth & Angle Adjustable High Mount Flip-up Footrest	\$406	K0040, K0037
Eleveting Le	n Doot		
Elevating Leg	g rest 		
	le Depth Adjustable Flip-up Footrest - □ Left OR □ Right	\$185	E0990
	epth Adjustable Flip-up Footrest - Pair		
, <u></u>	If your Front Angle H is 90°, select one Seat to Footrest I length and one Footrest type:	.,,,,,,,	
	□ 7" □ 8" □ 9" □ 10" □ 11" □ 12" □ 13"		
XFTR5	□ Flip-up Footrest	STD	
XFTR9	□ Depth Adjustable Flip-up Footrest		K0037
XFTR10	Depth & Angle Adjustable Flip-up Footrest		K0040, K0037
XHLP1	☐ Heel Loops (Not available with 13" or narrower Seat Width A or 1-Piece Footrests.)	့နာဘ	E0951
FRONT WHE	ELS (See Front Seat Height Ranges Chart on Page 2 for Front Seat Height C limitations.)		
XFW24	□ 3"x1.5" LiteSpeed Billet Aluminum Wheel w/Soft Roll Tire □ Silver Hub OR □ Black Hub	\$206	
XFW14	☐ 4"x.75" Plastic Wheel w/Poly Tire (Not available with Power Adaptable Frame or Heavy Duty Frame)	NCO	
XFW3	☐ 4"x.75" Light-Up Micro-Caster (Not available with Power Adaptable Frame or Heavy Duty Frame.)	\$88	
XFW26	4"x1.5" LiteSpeed Plastic Wheel w/Soft Roll Tire (Not available with Power Assist, Power Add-on System or Heavy Duty Frame.)		
XFW27	□ 4"x1.5" LiteSpeed Billet Aluminum Wheel w/Soft Roll Tire □ Silver Hub OR □ Black Hub		
XFW6	□ 5"x1" Plastic Wheel w/Poly Tire (Not available with Power Adaptable Frame, Heavy Duty Frame or with 90° Front Angle H.)	NCO	
XFW28	□ 5"x1.5" LiteSpeed Plastic Wheel w/Soft Roll Tire (Not available with Power Adaptable Frame, Heavy Duty Frame or 90°	¢102	
XFW30	Front Angle H.). □ 5"x1.5" LiteSpeed Billet Aluminum Wheel w/Soft Roll Tire □ Silver Hub OR □ Black Hub (Not available with 90°	φ103	
XI W30	Front Angle H.)	\$233	
XFW9	□ 6"x1" Plastic Wheel w/Poly Tire (Not available with Power Adaptable Frame, Heavy Duty Frame or 85° or 90° Front Angle H.)		
XFW32	□ 6"x1.5" LiteSpeed Plastic Wheel w/Soft Roll Tire (Not available with Power Adaptable Frame, Heavy Duty Frame, 85° or		
	90° Front Angle н.)	\$119	
XFW33	□ 6"x1.5" LiteSpeed Billet Aluminum Wheel w/Soft Roll Tire □ Silver Hub OR □ Black Hub (Not available with 85° or		
	~ /	\$244	
XFW16	□ 8"x1" Plastic Wheel w/Poly Tire (Not-available with Power Assist, Power Add-on, Heavy Duty Frame or 12"-14" Seat Depths.		
	Available with 70° Front Angle H only.)	NCO	
FRONT FOR	ve		
XFK1	☐ TiLite Standard Fork	STD	
XGL1	☐ Glide™ Suspension Fork (Available in Black anodize only. Not available with 8" Front Wheels or Heavy Duty Frame)		E1015
	Rider's Weight: ☐ 125 lbs. ☐ 125-180 lbs. ☐ 180-265 lbs.		
ONE ARM DR	RIVF		
XOAD1	☐ One Arm Drive (Available with 24" Mag Wheels only. Rear Seat Height, Camber or axle restrictions may apply.)	\$1298	E0958
	Drive Handrim Side (Available with standard aluminum handrim only.) ☐ Install on Left ☐ Install on Right		
STANDARD	REAR WHEELS (See Rear Seat Height Ranges Chart on Page 2 for Rear Seat Height D limitations.)		
XRW14	TiLite SHADOW™	STD	
	□ 22"(501)		
	□ 24"(540)		
	25"(559) (Requires 15" minimum Seat Depth B.)		
	□ 26"(590) (Requires 15" minimum Seat Depth B.)		
PERFORMAN	ICE REAR WHEELS (See Rear Seat Height Ranges Chart on Page 2 for Rear Seat Height D limitations.)		
XRW7	Spinergy® SPOX □ Black □ Red □ Blue □ White □ Green	\$915	
	□ 22"(501) - Std. Hub	·	
	□ 24"(540) - Std. Hub		
	□ 25"(559) - Std. Hub (Requires 15" minimum Seat Depth B.)		
VDWO	□ 26"(590) - Std. Hub (Requires 15" minimum Seat Depth B.)		
XRW8	Spinergy® LX (Available with Heavy Duty Frame only when 0 or 2 degree camber is selected.) □ Black □ Red □ Blue □ White □ Bright Orange □ Flamingo Pink □ Purple □ Green	¢1 1 10	!
	□ 22"(501) - Std. Hub	.ψι,Ι40	•
	□ 24"(540) - Std. Hub		
	□ 25"(559) - Std. Hub (Requires 15" minimum Seat Depth B.)		
	□ 26"(590) - Std. Hub (Requires 15" minimum Seat Depth B.)		

ZRW9 Spinergy Design Lab LX Wheels (If same color is selected, anodized hubs and rims match color anodized package on page 1. Available with black spokes only.) □ Gold Anodize □ Green Anodize □ Blue Anodize □ Red Anodize □ Purple Anodize □ Orange Anodize\$1,364 □ 22"(501) - Std. Hub □ 24"(540) - Std. Hub □ 25"(559) - Std. Hub (Requires 15" minimum Seat Depth B.) □ 26"(590) - Std. Hub (Requires 15" minimum Seat Depth B.) XRW16 Spinergy® Carbon Blade with 2x2 Twill Weave Carbon Fiber (Not available with Heavy Duty Frame.). \$1,602 **2**4"(540) □ 25"(559) (Requires 15" minimum Seat Depth B.) X-Core Mag (Not available with Heavy Duty Frame, Short Tabs, Quad Release Axles, Spoke Guards or Omit Handrims Option. Requires XRW17 Aluminum Sliver Anodized Handrims.) NCO **2**4"(540) **AXLES** XAXL1 □ Stainless Quick Release______STD XAXL2 XAXL3 PNEUMATIC REAR TIRES XRTR1 ☐ Treaded 22"(501), 24"(540), and 26"(590) (Not available with 25"(559) Rear Wheels.) XRTR2 E2213 □ Airless Inserts________\$98 XRTR31 XRTR30 □ 24"(540), 25"(559) and 26"(590) Primo Sentinel \$136 □ 24"(540), 25"(559) and 26"(590) Schwalbe® Marathon Plus Evolution \$152 XRTR8 XRTR32 □ 24"(540) Primo C-763 Knobby \$104 **SOLID REAR TIRES** XRTR22 □ 22"(501), 24"(540) and 25"(559) Primo Express (Not available with Spinergy Carbon Blade Rear Wheels.) XRTR23 □ 24"(540) and 25"(559) Primo Active \$147 **HANDRIMS** XRIM1 □ Aluminum – Silver Anodized STD □ Aluminum – Black Anodized NCO □ Titanium – Satin Finish (Not available with 20"(451) or 22"(501) Rear Wheels, or 24"(540) Knobby tires.) \$509 XRIM21 XRIM12 ☐ The Surge (All-In-One Oval with Gription Strip, Larger Profile). XRIM10 ☐ The Surge LT (All-In-One Oval with Gription[™] Strip, Smaller Profile) \$466 XRIM11 □ Q-Grip (Exclusive High-Friction, Anti-Slip Coating) \$358 XRIM20 The Natural-Fit® (Original, Larger Profile) (Not available with 20"(451) Rear Wheels.) TRIM14 ☐ Super Grip (Not available with Short Tabs or Spinergy Carbon Blade Rear Wheels.) \$466 TRIM15 TRIM16 The Natural-Fit®LT (Reduced Weight, Smaller Profile) (Not available with 20"(451) Rear Wheels.) □ Standard Grip (Not available with Short Tabs or Spinergy Carbon Blade Rear Wheels.) \$440 TRIM17 □ Super Grip (Not available with Short Tabs or Spinergy Carbon Blade Rear Wheels.) \$514 TRIM18 TRIM19 **Additional Handrim Options** ☐ Plastic Coated – Black \$174 XRIM5 XRIM22 □ Omit Handrims_________NCO **Tab Length** □ Long Tabs STD □ Short Tabs (Not available with Mag Rear Wheels or The Natural-Fit[®] Handrims with Thumb Grip.) \$28 XRIM7 XRIM8 WHEEL LOCKS (Composite wheel locks not always compatible with 12"-13" Seat Depth. Uni-locks will be substituted at no charge.) XWLK7 ☐ Compact Composite Push to Lock NCO □ Compact Composite Pull to Lock □ Extension Handles for Compact Composite Push/Pull to Lock \$93 XWLK8 XWLK10 E0961 **Additional Wheel Locks** XWLK11 XWLK3 Uni-Lock Set At: ☐ Push OR ☐ Pull \$179 XWLK4 □ Extension Handles for Uni-Lock \$93 F0961 XWLK15 E0974

BACK UPHOLSTERY (Want more seating options? Click here to view the new TiLite Seating Order Form.) XBUP1 Padded Nylon (Black Only. Not available with Heavy Duty Frame, Folding Back, Folding Stabilizer Bar, Depth Adjustable Frame, Fold-Down Push Handles or Ultrasuede Backrest Stripe.) Tension Adjustable by Straps (Included with Heavy Duty Frame. Required with Aluminum Fendered Side Guards and Fold-Down Push Handles.) XBUP3 ☐ Padded Nylon_______\$369 E2611 XBUP5 □ AIR Breathable Upholstery (Not available with Ultrasuede Backrest Stripe.) \$369 F2611 XUPC3 Ultrasuede Backrest Stripe Black (Not available with Padded Nylon or AIR Breathable Back Upholstery.) \$115 XBUP0 □ Omit Back Upholstery NCO **SEAT UPHOLSTERY** XSUP4 □ Tension Adjustable (Black only) STD XSUP0 **SEAT CUSHION** (Want more seating options? <u>Click here</u> to view the new TiLite Seating Order Form.) XCSH2 □ Comfort Curve Cushion (Stretch-Air cover). F2601 □ Comfort Acta-Embrace™ Comfort-Tek Zero Elevation Cushion_____\$428 **7CSH23** F2607 □ ROHO® Hybrid Elite SR[™] Single Compartment Cushion (Fits seat widths 14" to 19") ______\$552 E2622 XCSH15 XCSH14 E2624 □ ROHO® Hybrid Select Cushion (Fits seat widths 14" to 18", and 20")______\$571 XCSH16 E2624 □ Vicair Active O2 Low (Fits even seat widths A 14" to 20". Non-stock upcharges may apply) \$515 XCSH17 E2624 **CUSTOM CONFIGURATION OPTIONS** SIDE GUARDS **Aluminum** XSDG2 □ Rigid Removable □ Small **OR** □ Std \$217 □ Quad Removable w/Hole □ Small OR □ Std_______\$233 XSDG3 🗖 Fendered Adjustable (Requires Tension Adjustable by Straps Back Upholstery. Not available with Angle-Adjustable Fold-Down XSDG6 Seat Backs.) \$363 2x2 Twill Weave Carbon Fiber XSDG7 □ Rigid Removable ☐ Small OR □ Std______\$336 XSDG8 □ Quad Removable w/Hole □ Small OR □ Std \$347 □ Custom Offset Profiled Sideguards CMD 007. Please specify desired offset to nearest ±½" (e.g., ±0.50") and sideguard type (rigid or fold-down) in the Notes section of the order form. Sideguard material must be selected. Some limitations may apply. ARMRESTS (Desk Arms come with built-in Side Guards.) Swing Away Tubular (Not available with Heavy Duty Frame, Folding Stabilizer Bar with Short or Medium Seat Back Height ranges XARM1 or Depth Adjustable Back.) \$244 E0973 □ 9" - 12" **OR** □ 12" - 15' XARM4 Swing Away - Flip Back Tubular (Not available with Heavy Duty Frame, Folding Stabilizer Bar or Depth Adjustable Back.) \$342 E0973 XARM2 Removable Height Adjustable DeskArm with Rigid Side Guard (Requires 14" minimum Seat Depth B.) \$363 E0973 □ 9" to 12" **OR** □ 12" to 15" ☐ Standard Length Pad (10") OR ☐ Full Length Pad (14") Removable Height Adjustable Desk Arm with Rigid Side Guard and Transfer Loop (Requires 16" minimum Seat Depth B.) \$406 XARM3 E0973 **□** 9" to 12" **OR □** 12" to 15" ☐ Standard Length Pad (10") **OR** ☐ Full Length Pad (14") **Available Armrest Option** XARM5 ☐ Covered in Black Ultrasuede (Not available with Desk Arms). \$120 SEAT BELTS □ Velcro Adjustable, Black Nylon Webbing \$61 E0978 XBLT1 XBLT2 □ Bodypoint® 2" Push-Button Buckle (Auto-Style.) \$103 E0978 E0978 XRI T4 □ Bodypoint® 1.5" Wide Push-Button Buckle Padded (Auto-Style.) (Not available with 19" - 22" Rear Seat Widths A.). \$185 XBLT5 E0978 □ Q'Straint® WC-19 Wheelchair-Anchored Pelvic Belt (Recommended for use with Transit Tie Down.) \$217 XBLT8 E0978 XBL10 K0108 **XBI T16** F0978 **CALF STRAP** Velcro Adjustable______ ☐ Small (Recommended for 9"- 12" Footrest Widths) XCLF2\$44 K0038 ☐ Medium (Recommended for 11"- 15" Footrest Widths) ☐ Large (Recommended for 14"- 17" Footrest Widths) ☐ Xtra Large (Recommended for 16"- 19" Footrest Widths) Bodypoint® Padded Velcro Adjustable ☐ Medium (Recommended for 12"- 15" Footrest Widths) XCLF3 \$109 K0038 ☐ Large (Recommended for 16"- 20" Footrest Widths) XCLF1 □ Buckle Adjustable, Black Nylon Webbing \$34 K0038

TiLite Aero X Order Form

Effective Jan 2024 (New Items in Red) FOLDING FRAME Page 7 of 7

	RESIDUAL LII	MB SUPPORT		
	XRSL1	□ Residual Limb Support (8" width x 10" length)	\$428	E1020
	XRSL2	□ Residual Limb Support Pair (8" width x 10" length)	\$855	E1020
	BACKPACK			
	XBCK3	□ Permobil Medical Necessities Backpack	\$103	
	SEAT POUCH			
	XPCH3	□ Permobil Medical Necessities Seat Pouch	\$66	
	XPCH4	□ Bodypoint® Mobility Bag	\$109	
USTO	OM CONFIGU	RATION OPTIONS		
	SPOKE GUAR	DS		
	XGRD1	☐ Clear with TiMotion Logo (Not available with Mag Rear Wheels.)	\$147	K0065
	ANTI-TIPS			
	XTIP1	□ Rear Aluminum - Black	\$174	E0971
	XTIP2	☐ User Friendly Flip-up		E0971
	XTIP9	☐ Tip Assist	\$115	E0971
	ACCESSORIE	S		
	XUEST1	Upper Extremity Support Tray ☐ 12" to 14" OR ☐ 13" to 15" Seat Widths A (Requires Armrests.)	\$315	E0950
	XLUG1	□ Luggage Carriers (Not available with High Mount Swing Away Footrests or 1-Piece Flip-up Footrest.)	\$158	
	XMPCT2	Neoprene Impact Guards with Ultrasuede Stripe (Not available with High Mount Footrests, 90° Hangers or Elevating Leg Rest		
	XCH1	□ Black □ Crutch Holder	\$115 \$244	
	XAFP1	□ Crutch Holder 4" Logo Patch □ Army □ Navy □ Air Force □ Marines	\$115	
	70 0 1 1	. Logo . doi:	Ψυ	

GENERAL

More options and frame modifications may be available through our Creative Mobility Division! Please contact customer service for details or <u>click here</u> to view options.

Permobil manufactures TiLite manual wheelchairs in a wide variety of configurations to meet the varied needs of wheelchair users. The final selection of a particular model, its options and accessories, and its measurements rests solely with the wheelchair user and advising healthcare professional. These wheelchairs must be fitted by a qualified healthcare professional. HCPCS Codes are for reference purposes only. Actual coding and coverage varies by payer. Proper HCPCS coding is not a guarantee of payment. Please verify the appropriate payer's coverage policy.

Get the latest order forms at permobilus.com. Prices, standard features, options and accessories are subject to change without notice. All rights reserved. Trademarks are identified by symbols™ and ®. TiLite, TiFit, the TiLite logo, Ti, the Ti logo, and TiShaft are registered trademarks of TiSport, LLC and are licensed to Permobil. Permobil® is a registered trademark of Permobil. Adobe®, Acrobat®, Acrobat Professional® and Reader® are registered trademarks of Adobe Systems Inc. Bodypoint® is a registered trademark of Bodypoint Inc. Kenda® is a registered trademark of Kenda Rubber Industrial Co. Ltd. ROHO®, AGILITY®, Low Profile® and Quadtro Select® are registered trademarks of ROHO Inc. Schwalbe® is a registered trademark of Ralf Bohle GmbH. The Natural-Fit® and Out-Front® are registered trademarks of Three Rivers Holdings, LLC. The ACTA-BACK®, ACTA-EMBRACE™, COMFORT-TEK™, COMPASS®, CURVE®, ELEMENTS®, and STRETCH AIR™ are registered trademarks of THE COMFORT COMPANY® and are licensed to Permobil. Q'Straint® is a registered trademark of Q'Straint Inc.

NOTES

QUOTE THIS CHAIR

If you are using Adobe Acrobat, this order form may be converted into a quote request or into an order by clicking one of the buttons (this feature is available exclusively to Permobil dealers and distributors). A Quote or an Order Confirmation will be sent to you within 24 hours.

ORDER THIS CHAIR