



Order form

Comfort Unite 1 back support



Dealer Name*:

Account #*:

City, State, Zip:

Phone:

Email:

ATP:

Rep Name:

P.O. Number:

Quote Number:

Client Reference*:

Client Weight:

**Required field*

Special considerations that need to be addressed here (e.g., diagnosis):

Notes | Refer to reference pages at end of order form for additional information and images.

Unite 1 back support

HCPSC coding: E2613/E2614 Positioning back, posterior. Part number: U1-BSXXWYYL.

Length	22"			\$ 798.00	\$ 798.00	\$ 798.00	\$ 940.00	\$ 940.00	
	20"		\$ 798.00	\$ 798.00	\$ 798.00	\$ 798.00	\$ 940.00	\$ 940.00	\$ 940.00
	18"	\$ 712.00	\$ 712.00	\$ 712.00	\$ 712.00	\$ 712.00	\$ 940.00	\$ 940.00	\$ 940.00
	16"	\$ 712.00	\$ 712.00	\$ 712.00	\$ 712.00	\$ 712.00	\$ 940.00		
	14"	\$ 712.00	\$ 712.00	\$ 712.00	\$ 712.00	\$ 712.00			
	12"	\$ 712.00	\$ 712.00	\$ 712.00	\$ 712.00				
		12"	14"	16"	18"	20"	22"	24"	26"
Width									

12"W x 16"L, and 12"W x 18"L not available with power mount hardware. 12L, 14L, 12W and 26W not available with direct mount hardware. 24" wide back supports require 4 point, power mount hardware or direct mount hardware.

Cover | Required, choose one.

C-COMFORT-TEK

COMFORT-TEK

For fluid protection, an easily cleaned surface

NC

C-DIAMOND-SPACER

Diamond Spacer

For comfort and heat dissipation. NOT a fluid resistant material.

NC

C-GLIDEWEAR-
DIAMOND

Diamond Spacer with GlideWear

For skin protection and shear reduction. NOT a fluid resistant material

\$ 52.00

Mounting Hardware | *Required, choose one.*

Compass 4 Quick Release	Quick Release 2 Point (C-Q-COMPASS)	Quick Release 4 Point (C-Q-COMPASS4)	NC
Compass 4 Fixed	Fixed 2 Point (C-NQ-COMPASS)	Fixed 4 Point (C-NQ-COMPASS4)	NC
Compass Power Mount	Permobil w/ Corpus 3G (C-PMB-PERMOBIL) Quantum w/ Tru Balance 3 or 4 (C-PMB-QUANTUM) Quickie w/ 3.7 Power (C-PMB-QUICKIE) Avid Rehab w/ Power T & R (C-PMB-AVID) ROVI w/ Motion Concepts (C-PMB-ROVI) <i>Using Power Mount hardware on ROVI requires mounting to the recessed planar interface plate available when ordering the Motion Concepts seating system. Drilling is required for mounting.</i>		\$ 92.00
Permobil Direct Mount	Permobil Direct Mount (C-DIRECT-MOUNT) <i>Includes Unitrack Assembly</i>		\$ 92.00

Embroidery | *Optional, not available with GlideWear cover. Includes corresponding color zipper pull.*

Thread color	Red (C-EMB-RED)	Purple (C-EMB-PURPLE)	Pink (C-EMB-PINK)	\$ 36.00
	Blue (C-EMB-BLUE)	Orange (C-EMB-ORANGE)	Green (C-EMB-GREEN)	
	Silver (C-EMB-SILVER)			
Font	Helvetica (C-EMB-HELVETICA)	Garamond (C-EMB-GARAMOND)		
	Impress (C-EMB-IMPRESS)	Kaufmann (C-EMB-KAUFMANN)		
Word one	Input is case sensitive:			
Word two (optional)	Input is case sensitive:			

Font styles

HELVETICA
GARAMOND
Impress
Kaufmann

Other Accessories | *Optional*

C-PV-SHIELD	Privacy Shield <i>Connects with hook & loop attachment</i>	\$ 52.00
-------------	---	----------

BodiLink lateral trunk supports & hardware

Optional, if selecting must choose pad shape & size, pad style, pad covers, and mounting hardware.

Basic pad shape & size | *Priced per pad.*

	Left <i>Must enter the number of pads needed</i>	Right <i>Must enter the number of pads needed</i>		
Supportive				
3"L x 4"D	BL-LTSP1S-3L4D-LH	BL-LTSP1S-3L4D-RH	E0956	\$ 94.00
3"L x 5"D	BL-LTSP1S-3L5D-LH	BL-LTSP1S-3L5D-RH	E0956	\$ 94.00
4"L x 5"D	BL-LTSP1S-4L5D-LH	BL-LTSP1S-4L5D-RH	E0956	\$ 94.00
4"L x 6"D	BL-LTSP1S-4L6D-LH	BL-LTSP1S-4L6D-RH	E0956	\$ 94.00
5"L x 7"D	BL-LTSP1S-5L7D-LH	BL-LTSP1S-5L7D-RH	E0956	\$ 94.00
6"L x 6"D	BL-LTSP1S-6L6D-LH	BL-LTSP1S-6L6D-RH	E0956	\$ 94.00
Active				
3"L x 4"D	BL-LTSP1A-3L4D-LH	BL-LTSP1A-3L4D-RH	E0956	\$ 94.00
3"L x 5"D	BL-LTSP1A-3L5D-LH	BL-LTSP1A-3L5D-RH	E0956	\$ 94.00
4"L x 5"D	BL-LTSP1A-4L5D-LH	BL-LTSP1A-4L5D-RH	E0956	\$ 94.00
4"L x 6"D	BL-LTSP1A-4L6D-LH	BL-LTSP1A-4L6D-RH	E0956	\$ 94.00
5"L x 7"D	BL-LTSP1A-5L7D-LH	BL-LTSP1A-5L7D-RH	E0956	\$ 94.00
6"L x 6"D	BL-LTSP1A-6L6D-LH	BL-LTSP1a-6L6D-RH	E0956	\$ 94.00

Basic pad style | *Must match number of pads selected.*

LTS-P1-MOLD	Moldable			NC
		Left	Right	
LTS-P1-RIGID	Rigid			NC
		Left	Right	

Basic pad cover options | *Must match number of pads selected.*

LTS-P1-COMFORT	COMFORT-TEK® <i>For fluid protection & an easily cleaned surface</i>			NC
		Left	Right	
LTS-P1-STRETCH	STRETCH-AIR® <i>For comfort & heat dissipation</i>			NC
		Left	Right	

Premium pad shape & size | *Priced per pad.*

	Left <i>Enter number of pads required</i>	Right <i>Enter number of pads required</i>		
Supportive				
3" L x 4" D	BL-LTSP2S-3L4D-LH	BL-LTSP2S-3L4D-RH	E0956	\$ 101.00
3" L x 5.5" D	BL-LTSP2S-3L5D-LH	BL-LTSP2S-3L5D-RH	E0956	\$ 101.00
4" L x 5" D	BL-LTSP2S-4L5D-LH	BL-LTSP2S-4L5D-RH	E0956	\$ 101.00
4" L x 6.5" D	BL-LTSP2S-4L6D-LH	BL-LTSP2S-4L6D-RH	E0956	\$ 101.00
5" L x 6.5" D	BL-LTSP2S-5L6D-LH	BL-LTSP2S-5L6D-RH	E0956	\$ 101.00
6" L x 6.5" D	BL-LTSP2S-6L6D-LH	BL-LTSP2S-6L6D-RH	E0956	\$ 101.00
Active				
3" L x 4" D	BL-LTSP2A-3L4D-LH	BL-LTSP2A-3L4D-RH	E0956	\$ 101.00
3" L x 5.5" D	BL-LTSP2A-3L5D-LH	BL-LTSP2A-3L5D-RH	E0956	\$ 101.00
4" L x 5" D	BL-LTSP2A-4L5D-LH	BL-LTSP2A-4L5D-RH	E0956	\$ 101.00
4" L x 6.5" D	BL-LTSP2A-4L6D-LH	BL-LTSP2A-4L6D-RH	E0956	\$ 101.00
5" L x 6.5" D	BL-LTSP2A-5L6D-LH	BL-LTSP2A-5L6D-RH	E0956	\$ 101.00
6" L x 6.5" D	BL-LTSP2A-6L6D-LH	BL-LTSP2A-6L6D-RH	E0956	\$ 101.00

Premium pad style | *Must match number of pads selected.*

LTS-P2-MOLD	Moldable			NC
		Left	Right	
LTS-P2-RIGID	Rigid			NC
		Left	Right	

Premium pad cover options | *Must match number of pads selected. Priced per selection.*

LTS-P2-COMFORT	COMFORT-TEK <i>For fluid protection & an easily cleaned surface</i>	NC
	Left Right	
LTS-P2-STRETCH	STRETCH-AIR <i>For comfort & heat dissipation</i>	NC
	Left Right	
LTS-P2-GLIDE	GlideWear® <i>For skin protection & shear reduction. NOT fluid resistant</i>	\$ 15.00
	Left Right	
LTS-P2-COMFORT-FM	COMFORT-TEK with foam	\$ 15.00
	Left Right	
LTS-P2-STRETCH-FM	STRETCH-AIR with foam	\$ 15.00
	Left Right	
LTS-P2-GLIDE-FM	GlideWear with foam	\$ 31.00
	Left Right	

GT2 mounting hardware | *Used with basic and premium pads. Both fixed and swing away hardware styles are adjustable.*

	Left <i>Must match number of pads selected</i>	Right <i>Must match number of pads selected</i>	
Swing-away			
Slot Mount	BL-LTS-GT2SAS-LH	BL-LTS-GT2SAS-RH	E1034 \$ 339.00
Track Mount	BL-LTS-GT2SAT-LH	BL-LTS-GT2SAT-RH	E1034 \$ 339.00
Fixed			
Slot Mount	BL-LTS-GT2FXS-LH	BL-LTS-GT2FXS-RH	\$ 202.00
Track Mount	BL-LTS-GT2FXT-LH	BL-LTS-GT2FXT-RH	\$ 202.00

Additional hardware options | *Priced per selection.*

Extra GT2 hardware link	Left (BL-LTS-GT2LINK)	Right (BL-LTS-GT2LINK)	\$ 43.00
Long mounting bracket	Left (BL-LTS-GT2SLOT-LH)	Right (BL-LTS-GT2SLOT-RH)	\$ 43.00
Hardware cover	Left (BL-LTS-HCOVER)	Right (BL-LTS-HCOVER)	\$ 31.00

BodiLink premium head support & hardware

Optional, if selecting must choose pad size, foam selection, cover, and mounting hardware.

Pad size and foam selection

Pad size	Soft	Extra soft	
6"W x 3"L	BL-HSP1-6W3L	BL-HSP2-6W3L	E0955 \$ 269.00
8"W x 4"L	BL-HSP1-8W4L	BL-HSP2-8W4L	E0955 \$ 269.00
10"W x 5"L	BL-HSP1-10W5L	BL-HSP2-10W5L	E0955 \$ 269.00
12"W x 5"L	BL-HSP1-12W5L	BL-HSP2-12W5L	E0955 \$ 269.00
14"W x 5"L	BL-HSP1-14W5L	BL-HSP2-14W5L	E0955 \$ 269.00
18"W x 5"L	BL-HSP1-18W5L	BL-HSP2-18W5L	E0955 \$ 269.00

Cover options

COMFORT-TEK	COMFORT-TEK <i>For fluid protection & an easily cleaned surface</i>	NC
STRETCH-AIR	STRETCH-AIR <i>For comfort & heat dissipation</i>	NC
GLIDEWEAR	GlideWear <i>For skin protection & shear reduction. NOT fluid resistant</i>	\$ 30.00

PT hardware, removable

BL-HS-PT1RMMID6	Mid 6	E1033	\$ 254.00
BL-HS-PT1RMLAT6	Lat 6	E1033	\$ 295.00
BL-HS-PT1RMMID8	Mid 8	E1033	\$ 254.00
BL-HS-PT1RMLAT8	Lat 8	E1033	\$ 295.00
BL-HS-PT1RMMAX8	Max 8	E1033	\$ 372.00

Stem length option | *For removable PT hardware only*

HS-STEM-7	Standard 7" stem	NC
HS-STEM-3	3"stem (recommended for use with power mounting where there may be constraints)	NC

PT hardware, flip down | *Flip down hardware has 7" stem.*

BL-HS-PT1FDMID6	Mid 6	E1033	\$ 310.00
BL-HS-PT1FDLAT6	Lat 6	E1033	\$ 353.00
BL-HS-PT1FDMID8	Mid 8	E1033	\$ 310.00
BL-HS-PT1FDLAT8	Lat 8	E1033	\$ 353.00
BL-HS-PT1FDMAX8	Max 8	E1033	\$ 405.00

Mounting option

HS-MB-POSTA	Posterior A (For Compass 4 and Compass Power Mount hardware)	NC
HS-MB-PW2C	Permobil C (For Permobil Direct Mount only)	\$ 101.00

Additional hardware options | *Priced per selection.*

Extra link for PT hardware	Extra 2" link (BL-HS-PT1LINK2)	Extra 3" link (BL-HS-PT1LINK3)	\$ 65.00
	Extra 4" link (BL-HS-PT1LINK4)		
BL-HS-52WINGA1	Tool-less wing lock for PT hardware <i>Enter desired number.</i>		\$ 25.00
BL-HS-SPCRA	1/4 Spacer Plate		\$ 43.00

Additional Order Instructions (for Permobil):

Notes & Comments (not for Permobil):

Order Policy:

You are highly encouraged to contact Permobil Sales with ANY questions regarding proper completion of our order forms at 1-800-736-0925. The order cannot be processed without the following:

- The client's name or code
- The order form must also be signed by a person authorized by your company to acknowledge the items selected. Permobil is not responsible for configuration or size discrepancies resulting from customer errors on the order form.
- Order confirmations will be provided by Permobil summarizing the items selected. Please review this carefully.
- Once the order is shipped, any changes are subject to the returns policy and may be prohibited.

Order Acknowledgement:

I, _____, am an agent of the medical equipment provider named on this order form and I have the authority to contract for the purchase of seating and positioning products and related parts on behalf of said provider. I acknowledge that I have reviewed this order and that it is complete and accurate to the best of my knowledge. I further acknowledge that any changes to this order after submission of this order form are subject to the returns policy and may carry additional charges.

Signed: _____

Printed Name: _____

Title: _____


Date: _____

NOTE: All specifications and prices are subject to change without notice. Please note that prices displayed are only valid if ordered with the wheelchair. Any parts ordered for service or future alterations will carry different pricing and warranty. The HCPCS codes provided are not intended to be billing or legal advice, rather our interpretation of the code definitions. Use of the codes does not ensure coverage or payment for the item. For coverage information, verify the policy of the appropriate payer.


References

Section 1 | Hardware options

Compass 4 quick release




Compass 4 fixed




Compass power mount

Power mount hardware has 8" of height adjustment in 1/2" increments without using tools.




4-point




Permobil Direct Mount

For use on Permobil
Corpus power wheelchairs
only




UniTrack Assembly

Included with Direct Mount



Section 2 | Accessories




Privacy shield


Provides coverage between the bottom of the back support to the seat base of their wheelchair. Attaches directly to the canes of a wheelchair.

Section 3 | BodiLink lateral trunk support hardware

GT2 mounting hardware, slot mount, swing-away




GT2 mounting hardware, slot mount, fixed




GT2 mounting hardware, track mount, swing away

Track mount hardware is only available when using Compass 4 hardware. If using compass power mount hardware, select slot mounting hardware.




Section 4 | BodiLink lateral trunk support pads


Premium pads, supportive




Premium pads, active



Basic pads, supportive




Basic pads, active




Section 5 | Bodilink lateral trunk support additional hardware options

Extra hardware links




Long mounting bracket

Adds 1" of additional adjustment per bracket



Hardware cover



Section 6 | Bodilink head support pads

Basic pad sizes

W			
L	6W x 5L	L	12W x 6L
L	8W x 5L	L	14W x 6L
L	10W x 6L	L	18W x 6L
		W	

Length(L) refers to the actual dimension of the support from bottom to top edge



Basic head support pads can be formed to any shape using the moldable steel insert inside the pad.

Premium pad sizes

W			
L	6W x 3L	L	12W x 5L with adjustable wings
L	8W x 4L	L	14W x 5L with adjustable wings
L	10W x 5L with adjustable wings	L	18W x 5L with adjustable wings
		W	

Length(L) refers to the actual dimension of the support from bottom to top edge



Premium head support pad angles can be formed by adjusting the plates in the pad

Section 7 | BodiLink head support hardware options

GT hardware, removable

Range of motion

GT model	Total # of links	Total link length	Max. anterior reach	Max. posterior reach	Max. lateral reach
LAT	5	10.5"	10"	2"	7.5"
MID	3	8.5"	8"	2"	N/A

GT hardware, LATERAL



GT hardware, MID-LINE




BodiLink head support hardware: PT hardware, removable


Range of motion

PT model	Total # of links	Total link length	Max. anterior reach	Max. posterior reach	Max. lateral reach
MID 6	2	6"	5.5"	1"	N/A
LAT 6	3	6"	5.5"	1"	6"
MID 8	2	8"	7.5"	1"	N/A
LAT 8	3	8"	7.5"	1"	8"
MAX 8	4	8"	7.5"	3"	8"


PT hardware, MID 6




PT hardware, MID 8



PT hardware, LAT 6



PT hardware, LAT 8



PT hardware, MAX 8





PT hardware, flip down hardware, removable

Flip down hardware has 7" stem




BodiLink head support hardware: PT hardware, removable stem length option

3" stem is recommended for use with power mounting where there may be special constraints with power chair functions




Mounting options



Mounting block Posterior A

For Comfort Unite, Embrace and Visco backs as well as Comfort Relief with Compass power mount




Mounting block Permobil C

For use with Permobil Direct Mount and Unitrack assembly

Extra hardware

1/4" spacer plate



Extra links: 2", 3", 4"



Tool-less wing lock

