



TiLite TR TRA - Order Form



Dealer Name*:

Account #*:

City, State, Zip:

Phone:

Email:

ATP:

Rep Name:

P.O. Number:

Quote Number:

Client Reference*:

Client Weight:

Special considerations that need to be addressed here (e.g., diagnosis):

*Required field

Frame Style

- | | | | |
|--------------------------------|--|--------------|-----------------|
| ☐ TAFS1 | TRA Titanium Frame Full adjustability. 265lb weight limit. For rear seat width and seat depth $\geq 15"$ use K0005. For rear seat width and seat depth $< 15"$ use E1235. | K0005, E1235 | \$ 4,800 |
| ☐ TRFS1 | TR Titanium SuperLite Frame Minimal adjustability. 265lb weight limit. For rear seat width and seat depth $\geq 15"$ use K0005. For rear seat width and seat depth $< 15"$ use E1235. | | \$ 550 |

Frame Options

- | | | |
|--------------------------------|---|---------------|
| ☐ THDR1 | Heavy Duty Frame - Aero T / TRA Not available with TR titanium Frame. 350lb weight limit. Requires tension adjustable by straps back upholstery, billet aluminum front wheels, Shadow Spinerger SPOX or LX rear wheels. Only available with 0° or 2° camber. Not available with Slipstream or Glide forks, carbon fiber camber tube or velcro adjustable upholstery. | No charge |
| ☐ THDR1 | Heavy Duty Frame - TR 350lb weight limit. No charge when 20" rear seat width and 20" seat depth are selected. Includes billet aluminum front wheels. Requires tension adjustable by straps back upholstery, Shadow, Spinerger SPOX or LX rear wheels. Only available with 0° or 2° camber. Not available with Slipstream or Glide forks, carbon fiber camber tube or velcro adjustable upholstery. | \$ 485 |
| ☐ TQST1 | Q'Straint Adaptable Frame Not available with TR titanium Frame. 350lb weight limit. Requires tension adjustable by straps back upholstery, billet aluminum front wheels, folding backrest, Shadow, Spinerger SPOX or LX rear wheels. Only available with 0° or 2° camber. Not available with Slipstream or Glide fork, open loop footrest, V-front taper or carbon fiber camber tube . | No charge |

SmartDrive Power Assist System

- | | | | |
|-----------------------------------|---|-------|--------------------|
| ☐ TMAXSD1 | Permobil SmartDrive MX2+ Not available with rear seat heights less than 13.5" or 20" rear wheels. SmartDrive apps available on Apple App Store and Google Play Store for Apple Watch Series 5 or newer, and Samsung Galaxy Watch 4 or newer. | E0986 | \$ 7,529.00 |
| ☐ TMAXSD18 | Switch Control Buttons | | No charge |
| ☐ TMAXSD8 | SwitchControl Button with Mono Jack Option | | No charge |
| ☐ TMAXSD19 | Buddy Button For use with SwitchControl button with mono jack option. | | No charge |
| ☐ TMAXSD4 | Carrying Bag | | \$ 84.00 |
| ☐ TMAXSD10 | Universal Padded Handle | | \$ 22.00 |

Frame Finishes

- ☐ TFF1 **Satin Finish** Available with titanium frames only. No charge
- ☐ SCBT1 Buffing Pads for Satin Frame \$ 22.00
- ☐ TFF **Powder Coated Frame** Select below. No charge
- Frame Color:**
- | | | | |
|---|--|--|--|
| ☐ TFF8 High Gloss Black | ☐ TFF10 Red Pepper | ☐ TFF29 Neon Pink | ☐ TFF14 Ocean Blue Metallic |
| ☐ TFF15 Tangerine Metallic | ☐ TFF30 Acid Green Metallic | ☐ TFF17 Midnight Blue Pearl | ☐ TFF18 White Pearl |
| ☐ TFF19 Black Lava | ☐ TFF27 Titanium Grey | ☐ TFF59 Pomegranate Red | ☐ TFF62 Blue Mist |
| ☐ TFF57 Indigo Purple | ☐ TFF40 Hyper Blue | ☐ TFF41 Flame Orange | ☐ TFF42 OD Green |
| ☐ TFF60 Silver Streak | ☐ TFF63 Lavendar Dusk | ☐ TFF58 Black Galaxy | ☐ TFF61 Seafoam Green |
| ☐ TFF64 Daffodil Yellow | | | |
- ☐ TFF3 **Tattoos** Tattoos on front frame tubes. Titanium frame finished in satin. Tattoos will be trimmed and adjusted to fit your frame. **\$ 375**
- ☐ TFF65 Liquid ☐ TFF66 Bloom ☐ TFF67 Rebel ☐ TFF68 Vector



Liquid



Bloom



Rebel



Vector

Color Anodize Package

- Standard:** ☐ Black Standard
- Anodized Package:** ☐ Gold ☐ Green ☐ Purple ☐ Orange ☐ Blue ☐ Red \$ 71.00
- Includes caster mounts, caster forks and caster caps. If no anodize colour is selected, default will be black.*

TiFit: Tailored Individualized Frame

Measurements shown below are our most popular selections. Not seeing what you want? Contact customer service or view our Creative Mobility Division (CMD) catalog [here](#) to view additional options. Please refer to Reference Diagrams at end of form for more information.

Rear Seat Width 'A' | Measure from outside of seat tube at back post to the outside of the opposite seat tube at back post.

- TSW1:** ☐ 12" ☐ 13" ☐ 14" ☐ 15" ☐ 16" ☐ 17" ☐ 18" ☐ 19"
- TSW3:** ☐ 19" (TR) **\$ 140**
- TSW2:** ☐ 20" E2201 **\$ 536.00**
- HCPCS code only applies to 20" rear seat width. >20" sizes available through CMD.*

Front Seat Width (Seat Taper) 'T' | Measure from inside of front frame tube to inside of opposite front frame tube. Required with V-front end, not with standard front end.

- ☐ TFSW1 **No Taper** Standard
- ☐ TFSW2 **1" Taper** 3" narrower than Rear Seat Width 'A'. Includes tension adjustable by straps seat upholstery. Bolt on adjustable sling available through CMD #20. \$ 304.00
- ☐ TFSW4 **2" Taper** 4" narrower than Rear Seat Width 'A'. Includes tension adjustable by straps seat upholstery. Bolt on adjustable sling available through CMD #20. \$ 304.00

Seat Depth 'B' | Measure from front of back post to the front edge of seat sling. Frame bend will start 0.5" in front of seat sling unless Custom Frame Depth is specified or the combination of specifications affect the rolling dynamics of the chair.

- TSD1:** ☐ 12" ☐ 13" ☐ 14" ☐ 15" ☐ 16"
☐ 17" ☐ 18" ☐ 19"
- TSD2:** ☐ 20" E2203 **\$ 568.00**
- TSD3 Custom Frame Depth:** ☐ Specify: No charge
- Measure from front of seat sling to beginning of frame bend. Ranges from 0.5"-2" and can be given as specific as 0.25" increments. A custom frame depth outside the specified range may be available through our Creative Mobility Division. A custom frame depth of 20" will have an additional charge.*

Ergonomic Seat 'U' | Measure from front of back post to beginning of upward bend of seat tube.

- ☐ TERG1 **TR Ergonomic Seat** Tension adjustable by strap comes standard. Bolt on adjustable sling available through CMD #20. Solid seat available through CMD #16. \$ 369.00
- ☐ TERG2 **TRA Ergonomic Seat** Not available with V-front or seat taper, seat back that locks when folded, desk armrests, depth adjustable backrests, fold down rigid sideguards, fendered adjustable sideguards or Curve cushion. Bolt on adjustable sling available through CMD #20. Solid seat available through CMD #16. Minimum seat depth 12" for 6"-7". Minimum seat depth 13" for 8". \$ 433.00
- ☐ 5" ☐ 6" ☐ 7" ☐ 8" ☐ 9"
- ☐ 6" ☐ 7" ☐ 8"

Front Seat Height 'C' | Measure from floor to top of seat tube at front edge of seat sling.TFSH1: ☐ 15" ☐ 15.5" ☐ 16" ☐ 16.5" ☐ 17" ☐ 17.5" ☐ 18" ☐ 18.5" ☐ 19" ☐ 19.5" ☐ 20" ☐ 20.5" ☐ 21"**Rear Seat Height 'D'** | Measure from floor to top of seat tube at back post.TRSH1: ☐ 12.5" ☐ 13" ☐ 13.5" ☐ 14" ☐ 14.5" ☐ 15" ☐ 15.5" ☐ 16" ☐ 16.5" ☐ 17" ☐ 17.5" ☐ 18" ☐ 18.5" ☐ 19" ☐ 19.5" ☐ 20"

Rear Wheel	26"	15.5"-20"
	25"	15"-20"
	24"	14.5"-20" (15" on TRA)
	22"	13.5"-20"
	20"	12.5"-20"

Rear Seat Height Range

Front Angle or Overall Frame Length | Select one. If Overall Frame Length is selected, front angle will be bent to achieve requested length.

- ☐ TFA1 **Frame Angle 'L'** Measure from frame front to floor. 85° not with 6" front wheels. 90° not with 5" or 6" front wheels. Standard
☐ 70° ☐ 75° ☐ 80° ☐ 85° ☐ 90°
- ☐ TFA2 **Overall Frame Length 'M'** Measure from front of backrest to front edge of footrest. No charge
☐ Specify:

Footrest**Footrest Width** | Select standard front end 'I' if no seat taper 'T' has been selected. Select V-front end 'V' if a seat taper 'T' has been selected.

- ☐ TFE1 **No V-Front Taper 'I'** Find your rear seat width 'A' in the chart below and select one of the options to the right. Measure from inside of front frame tube to inside of opposite front frame tube. Standard

Rear Seat Width 'A'	12"	☐ 10"	☐ 8"	
	13"	☐ 11"	☐ 9"	
	14"	☐ 12"	☐ 10"	☐ 8"
	15"	☐ 13"	☐ 11"	☐ 9"
	16"	☐ 14"	☐ 12"	☐ 10"
	17"	☐ 15"	☐ 13"	☐ 11"
	18"	☐ 16"	☐ 14"	☐ 12"
	19"	☐ 17"	☐ 15"	☐ 13"
	20"	☐ 18"	☐ 16"	☐ 14"
		No Taper	2" Taper	4" Taper
Footrest Width 'I'				

- ☐ TFE2 **V-Front Taper 'V'** Measure from inside of front frame tube to inside of opposite front frame tube 2.5" above footrest. Titanium footrests have 1" of adjustment up and down. Not with ergonomic seat frames. \$ 315.00
☐ 9" ☐ 10" ☐ 11" ☐ 12" ☐ 13" ☐ 14" ☐ 15"
- ☐ CMD008 **Custom Abducted Front Frame Width** Adapted footrest and/or front seat width. Please specify desired front seat width and desired footrest width to the nearest 0.5" in the Notes section. Some limitations may apply. CMD

Standard FootrestsSeat to Footrest 'E': ☐ 13.5" ☐ 14" ☐ 14.5" ☐ 15" ☐ 15.5" ☐ 16" ☐ 16.5" ☐ 17" ☐ 17.5" ☐ 18" ☐ 18.5" ☐ 19"
Measure from front edge of seat sling to top rear of footrest. Measurement must be at least 2" shorter than Front Seat Height 'C'.

- ☐ TFTR3 **Angle Adjustable Footrest** Standard
- ☐ TFTR1 **Titanium Footrest w/Flat ABS Cover** \$ 217.00
- ☐ TFTR2 **Titanium Open Loop Footrest** \$ 277.00
- ☐ TFTR12 **Angle Adjustable Flip-Back Footrest** Not with 10" or 11" rear seat width or heavy duty frame. K0040 \$ 244.00

High Mount FootrestsSeat to Footrest 'E': ☐ 7"-9" ☐ 9"-11" ☐ 11"-13" ☐ Set at
Measure from front edge of seat sling to top rear of footrest.

- ☐ TFTR4 **Angle Adjustable High Mount Footrest** K0040 \$ 109.00
- ☐ CMD040 **Custom Two-Piece Flip-Up Footplates** Please visit our CMD catalog and specify footrest type and rigidizer bar placement in Notes section of this order form. Some limitations may apply. CMD

Back Supports

ROHO Back Supports

☐	SBRS14	Agility Active Aluminum, Min Contour with Foam	Includes fixed hardware. Select shell height.	E2620	\$ 738.00
☐	SBRS15	Agility Active Aluminum, Mid Contour with Foam	Includes fixed hardware. Select shell height.	E2620	\$ 738.00
		☐ 8" ☐ 10"			
☐	SBRS7	Agility Carbon Min Contour Back with Foam/Air Insert	Includes fixed hardware. Select shell height.	E2620	\$ 738.00
☐	ACB1	Agility Carbon Min Upgrade	Required with Agility Carbon Backs. Not available with bolt-on push handles.		\$ 464.00
☐	SBRS9	Agility Carbon Mid Contour Back with Foam/Air Insert	Includes fixed hardware. Select shell height.	E2620	\$ 738.00
☐	ACB2	Agility Carbon Mid Upgrade	Required with Agility Carbon Backs. Not available with bolt-on push handles.		\$ 464.00
		☐ 10" ☐ 13" ☐ 16"			

Comfort Back Supports

☐	SBRS22	Comfort Embrace Back	Replaces Comfort Acta-Embrace Back. Includes 2-point quick release Compass hardware. Select shell height.	E2613	\$ 700
		☐ 10" ☐ 12" ☐ 14" ☐ 16"			
		☐ Comfort-Tek Cover ☐ Diamond Spacer Cover			
		☐ Privacy Shield			\$ 52
☐	SBRS23	Comfort Relief Back	Replaces Comfort Acta-Relief Back. Includes 2-point quick release Compass hardware. Select shell height.	E2615	\$ 886
		☐ 10" ☐ 12" ☐ 14" ☐ 16"			
		☐ Comfort-Tek Cover ☐ Diamond Spacer Cover			
		☐ Privacy Shield			\$ 52

Back Upholstery

☐	TBUP2	Velcro Adjustable	Not available with fold-down push handles.		Standard
☐	TBUP3	NEW Tension Adjustable By Straps, Padded Nylon	Required for fold-down push handles.	E2611	\$ 369.00
☐	TBUP5	Tension Adjustable By Straps, AIR Breathable	Required for fold-down push handles.	E2611	\$ 369.00
☐	TUPC3	Ultrasuede Backrest Stripe, Black	Not available with AIR breathable upholstery.		\$ 115.00
☐	TBUP0	Omit Back Upholstery			No charge

Backrest

Back Type

☐	TSB1	Folding Aluminum Adjustable Height Back	Required for heavy duty frame.		Standard
☐	TSB2	Folding Titanium Adjustable Height Back, Rounded Rigidizer Bar	Titanium back will match frame finish.		\$ 277.00
☐	TSB15	Non-Folding Fixed Height Titanium Back, Rounded Rigidizer Bar	Not available with TRA or push handles. Titanium back will match frame finish.		\$ 315.00

Back Options

☐	TSB11	Backrest Locks When Folded	Available on all backs. Not available with ergonomic seat.		Standard
☐	TSB12	4" Deep Backrest Rigidizer Bar	Not a rounded style rigidizer bar. Not available with non-folding, fixed height titanium back type.		No charge
☐	TSB3	TiShaft Back Release Bar, Aluminum	Not available with non-folding fixed height titanium back.		Standard
☐	TSB5	TiShaft Back Release Bar, 2x2 Twill Weave Carbon Fiber	Not available with non-folding fixed height titanium back.		\$ 82.00

Push Handles

☐	TSB6	Integrated Push Handles			No charge
☐	TSB7	Integrated Fold-Down Push Handles	Requires tension adjustable by straps back upholstery.		\$ 125.00
☐	TSB8	Bolt-On Push Handles	Includes 4" deep backrest rigidizer bar.		\$ 217.00
☐	TSB9	Bolt-On Height-Adjustable Push Handles	Includes 4" deep backrest rigidizer bar.		\$ 363.00

Folding Back Height 'F' | TSB1/TSB2. Set at 0.5" increments.

Push Handles	None / Bolt-On	☐ 9.5"-11.5"	☐ 12"-16.5"	☐ 16"-20.5"	Set at:
	Integrated	☐ 11"-12.5"	☐ 13.5"-16.5"	☐ 17.5"-20.5"	Set at:
	Fold-Down	☐ 13.5"-15"	☐ 14.5"-18.5"	☐ 18.5"-21"	Set at:
		Short	Medium	Tall	Specify
Folding Back Height					

Fixed Back Height 'F'

Select height: ☐ 5" ☐ 5.5" ☐ 6" ☐ 6.5" ☐ 7" ☐ 7.5" ☐ 8" ☐ 8.5" ☐ 9" ☐ 9.5" ☐ 10" ☐ 10.5"
☐ 11" ☐ 11.5" ☐ 12" ☐ 12.5" ☐ 13" ☐ 13.5" ☐ 14" ☐ 14.5" ☐ 15" ☐ 15.5" ☐ 16" ☐ 16.5"
☐ 17" ☐ 17.5" ☐ 18" ☐ 18.5" ☐ 19" ☐ 19.5" ☐ 20"

Required for fixed side guards. Not with swing-away tubular or swing-away flip-back tubular armrests, integrated push handles, integrated fold-down push handles or bolt-on height adjustable push handles.

Back Angle 'G' | TSBA1 Measure angle from front of back post to floor.

Folding Back: ☐ 80° ☐ 83° ☐ 86° ☐ 89° ☐ 92° ☐ 95° ☐ 98° ☐ 101°
Fixed Back: ☐ 80° ☐ 81° ☐ 82° ☐ 83° ☐ 84° ☐ 85° ☐ 86° ☐ 87° ☐ 88° ☐ 89° ☐ 90° ☐ 91° ☐ 92°
☐ 93° ☐ 94° ☐ 95° ☐ 96° ☐ 97° ☐ 98° ☐ 99° ☐ 100° ☐ 101°

Rear Wheel Positioning

Center of Gravity 'H' | Measure from front of back post at the seat tube to the center of the rear axle. If no center of gravity is selected the chair will ship with the center of gravity in the most rearward position. Ergo seat selection may limit available center of gravity.

TCOG1: ☐ 1" ☐ 1.25" ☐ 1.5" ☐ 1.75" ☐ 2" ☐ 2.25" ☐ 2.5" ☐ 2.75" ☐ 3" ☐ 3.25" ☐ 3.5" ☐ 3.75"
☐ 4" ☐ 4.25" ☐ 4.5" ☐ 4.75" ☐ 5"

Rear Wheel Spacing 'J' | Measure from outside of back post to inside of rear tire. TRA 0.75" rear wheel spacing not with 0° or 2° camber.

- | | | |
|---------------------------------|---|-----------|
| ☐ TRWS1 | Fixed Rear Wheel Spacing | Standard |
| | ☐ 0.75" ☐ 1" ☐ 1.25" | |
| ☐ TCBR12 | Adjustable Rear Wheel Spacing Camber Plugs | No charge |
| ☐ TCBR9 | Additional Spacers to Increase Rear Wheel Spacing | No charge |
| ☐ TCBR11 | Zero Play Aluminum Camber Plugs Not available with power adaptable frame or more than 6° camber. | No charge |

Camber 'K'

- | | | |
|---|---|-----------------|
| TCBR1: | ☐ 0° ☐ 2° ☐ 4° ☐ 6° | E2601 |
| 8° camber may be available through our Creative Mobility Division | | |
| ☐ TCBR15 | Aluminum Camber Tube | Standard |
| ☐ TCBR3 | Titanium Camber Tube | E2624 \$ 217.00 |
| ☐ TCBR4 | Carbon Fiber Camber Tube Only available on TR and only with 0°, 2°, 4° zero play plugs. Not available with anti-tips, or heavy duty frame. | \$ 300 |

Seat Upholstery

- | | | |
|---------------------------------|---|-----------------|
| ☐ TSUP1 | Tension Adjustable Bolt-On Upholstery, Black Not available with ergonomic seat or tapered seat. | Standard |
| ☐ TSUP2 | Tension Adjustable By Straps, Black Standard with ergonomic seat and seat taper of 1"-3". | \$ 201.00 |
| ☐ TSUP8 | Aluminum Solid Seat Ergonomic seat requires CMD016. Not with 10" or 11" rear seat width. | E2231 \$ 309.00 |
| ☐ TSUP0 | Omit Seat Upholstery | No charge |
| ☐ CMD018 | Custom iSleeve Please provide sleeve width and depth (inches) in Notes section at the end of this order form. Add 1" to device depth and 0.25" to width. Best when used with tension adjustable bolt-on upholstery. Some limitations may apply. | CMD |

Seat Cushions

- | | | |
|---------------------------------|---|-----------------|
| ☐ TCSH2 | Comfort Curve Cushion Stretch-Air cover. | E2601 \$ 122.00 |
| ☐ TCSH23 | Comfort Acta-Embrace Comfort-Tek Zero Elevation Cushion | E2607 \$ 428.00 |
| ☐ TCSH11 | ROHO Single Compartment Fits seat widths 14"-19".
☐ Low Profile ☐ Mid Profile ☐ High Profile | E2622 \$ 534.00 |
| ☐ TCSH14 | ROHO QUADTRO SELECT Cushion Fits seat widths 14"-19".
☐ Low Profile ☐ Mid Profile ☐ High Profile | E2624 \$ 534.00 |
| ☐ TCSH16 | ROHO Hybrid Select Cushion Fits seat widths 14"-18", and 20" | E2624 \$ 571.00 |
| ☐ TCSH17 | Vicar Vector O2 with Comfair Cover Fits seat widths 14"-19". Non-stock upcharges may apply. | E2624 \$ 542.00 |

Front Wheels

☐ TFW24	3"x1.4" LiteSpeed-7 Billet Aluminum Wheel w/Soft Roll Tire	\$ 206.00
	☐ Silver Hub ☐ Black Hub	
☐ TFW14	4"x0.75" Plastic Wheel w/Poly Tire <i>Not available with Slipstream fork.</i>	No charge
☐ TFW3	4"x0.75" Light-Up Micro Caster <i>Not available with Slipstream fork.</i>	\$ 88.00
☐ TFW26	4"x1.4" LiteSpeed-7 Plastic Wheel w/Soft Roll Tire <i>Not available with power assist or heavy duty frame.</i>	No charge
☐ TFW27	4"x1.4" LiteSpeed-7 Billet Aluminum Wheel w/Soft Roll Tire	\$ 217.00
	☐ Silver Hub ☐ Black Hub	
☐ TFW6	5"x1" Plastic Wheel w/Poly Tire <i>Not available with 90° front angle or Slipstream fork.</i>	No charge
☐ TFW28	5"x1.4" LiteSpeed-7 Plastic Wheel w/Soft Roll Tire <i>Not available with 90° front angle.</i>	No charge
☐ TFW30	5"x1.4" LiteSpeed-7 Billet Aluminum Wheel w/Soft Roll Tire <i>Not available with 90° front angle.</i>	\$ 233.00
	☐ Silver Hub ☐ Black Hub	
☐ TFW9	6"x1" Plastic Wheel w/Poly Tire <i>Not available with 85° or 90° front angle or Slipstream fork.</i>	No charge
☐ TFW32	6"x1.4" LiteSpeed-7 Plastic Wheel w/Soft Roll Tire <i>Not available with 85° or 90° front angle or Slipstream fork.</i>	No charge
☐ TFW33	6"x1.4" LiteSpeed-7 Billet Aluminum Wheel w/Soft Roll Tire <i>Not available with 85° or 90° front angle or Slipstream fork.</i>	\$ 244.00
	☐ Silver Hub ☐ Black Hub	

Precision Lock Front Forks

☐ TFK1	TiLite Standard Fork	Standard
☐ TFK2	TiLite Slipstream Single-Sided Fork	\$ 185.00
☐ TGL1	Glide Suspension Fork <i>Black anodize only. Select rider weight.</i>	E1015 \$ 526.00
	☐ 125lbs ☐ 125-180lbs ☐ 180-265lbs	
☐ TTFS1	Titanium Fork Stem <i>Comes standard on TR.</i>	\$ 66.00

Rear Wheels

See rear seat height ranges chart for rear seat height 'D' limitations.

☐ TRW14	TiLite SHADOW Rear Wheel <i>Select size. 25" and 26" wheels require 15" minimum seat depth.</i>	Standard
	☐ 20" (451) ☐ 22" (501) ☐ 24" (540) ☐ 25" (559) ☐ 26" (590)	
☐ TRW7	Spinergy SPOX Rear Wheel <i>Select size and spoke color. 25" and 26" wheels require 15" minimum seat depth. Orange, pink, purple and green spokes only available in 20" size.</i>	\$ 1,195
	☐ 20" (451) ☐ 22" (501) ☐ 24" (540) ☐ 25" (559) ☐ 26" (590)	
	☐ Black ☐ Red ☐ Blue ☐ White ☐ Orange ☐ Pink ☐ Purple ☐ Green	
☐ TRW8	Spinergy LX Rear Wheel <i>Select size and spoke color. 25" and 26" wheels require 15" minimum seat depth.</i>	\$ 1,295
	☐ 22" (501) ☐ 24" (540) ☐ 25" (559) ☐ 26" (590)	
	☐ Black ☐ Red ☐ Blue ☐ White ☐ Orange ☐ Pink ☐ Purple ☐ Green	
☐ TRW9	Spinergy Design Lab LX Rear Wheel <i>Black spokes only. Select size and anodizing color. If same color is selected, anodized hubs and rims match colour anodized package. 25" and 26" wheels require 15" minimum seat depth.</i>	\$ 1,995
	☐ 22" (501) ☐ 24" (540) ☐ 25" (559) ☐ 26" (590)	
	☐ Gold ☐ Green ☐ Blue ☐ Red ☐ Purple ☐ Orange	
☐ TRW16	Spinergy Carbon Blade Rear Wheel <i>2x2 twill weave carbon fiber. Not available with heavy duty frame. 25" wheels require 15" minimum seat depth.</i>	\$ 1,795
	☐ 24" (540) ☐ 25" (559)	
☐ TRW17	X-Core Mag Rear Wheel <i>Select size. Not available with heavy duty frame, short tabs, quad release axles, spoke guards or omit handrims options. Requires aluminum silver anodized handrims.</i>	\$ 225
	☐ 20" (451) ☐ 22" (501) ☐ 24" (540)	

Axles

☐ TAXL1	Stainless Quick Release Axle	Standard
☐ TAXL2	Titanium Quick Release Axle	\$ 277.00
☐ TAXL3	Quad Release Axle <i>Not with Mag or 26" (590) Spinergy Spox or LX rear wheels.</i>	\$ 169.00

Pneumatic Rear Tires

☐	TRTR1	Treaded Tire 22"(501), 24"(540), 26"(590)		No charge
☐	TRTR2	Airless Inserts <i>Not available with Spinergy Carbon Blade rear wheels.</i>	E2213	\$ 98.00
☐	TRTR31	MBL SpeedLite Tire 20"(451), 22"(501), 24"(540), 25"(559), 26"(590)		No charge
☐	TRTR10	MBL Gazelle Tire 24"(540), 25"(559) <i>Kevlar bead, lightest weight option.</i>		\$ 99
☐	TRTR30	Primo Sentinel Tire 24"(540), 25"(559), 26"(590)		\$ 136.00
☐	TRTR8	Schwalbe Marathon Plus Evolution Tire 24"(540), 25"(559), 26"(590)		\$ 169
☐	TRTR32	Primo C-764 Knobby Tire 24"(540)		\$ 104.00

Solid Rear Tires

☐	TRTR22	Primo Orion Tire 20"(451), 22"(501), 24"(540), 25"(559) <i>Not available with Spinergy Carbon Blade rear wheels.</i>		\$ 120.00
☐	TRTR23	Primo Active Tire 24"(540), 25"(559) <i>Not available with Spinergy Carbon Blade rear wheels.</i>	E2213	\$ 147.00

Handrims

☐	TRIM1	Aluminum Handrim, Silver Anodized		Standard
☐	TRIM21	Aluminum Handrim, Black Anodized		No charge
☐	TRIM12	Titanium Handrim, Satin Finish <i>Not available with 20"(451) or 22"(501) rear wheels or 24"(540) knobby tires.</i>		\$ 509.00
☐	TRIM20	Q-Grip Handrim <i>Exclusive high-friction, anti-slip coating. Not available with 20"(451) rear wheels.</i>		\$ 358.00
☐	TRIM5	Plastic Coated Handrim, Black		\$ 174.00
☐	TRIM10	The Surge Handrim <i>Large profile. All-In-One oval with Gription strip.</i>		\$ 433.00
☐	TRIM11	The Surge LT Handrim <i>Small profile. All-In-One oval with Gription strip.</i>		\$ 466.00
☐	TRIM14	The Natural-Fit Handrim, Standard Grip <i>Original, large profile. Not available with short tabs or Spinergy Carbon Blade rear wheels.</i>		\$ 428.00
☐	TRIM15	The Natural-Fit Handrim, Super Grip <i>Original, large profile. Not available with short tabs or Spinergy Carbon Blade rear wheels.</i>		\$ 466.00
☐	TRIM16	The Natural-Fit Handrim, Without Thumb Grip <i>Original, large profile.</i>		\$ 390.00
☐	TRIM17	The Natural-Fit LT Handrim, Standard Grip <i>Reduced weight, small profile. Not available with short tabs or Spinergy Carbon Blade rear wheels.</i>		\$ 440.00
☐	TRIM18	The Natural-Fit LT Handrim, Super Grip <i>Reduced weight, small profile. Not available with short tabs or Spinergy Carbon Blade rear wheels.</i>		\$ 514.00
☐	TRIM19	The Natural-Fit LT Handrim, Without Thumb Grip <i>Reduced weight, small profile.</i>		\$ 423.00
☐	TRIM22	Omit Handrims		No charge

Handrim Tab Length

☐	TRIM7	Long Tabs		Standard
☐	TRIM8	Short Tabs <i>Not available with Mag rear wheels, The Natural-Fit handrims with thumb grip, or Natural-Fit handrims on Shadow wheels.</i>		\$ 28.00

Wheel Locks

☐	TWLK7	Compact Composite Push to Lock <i>Available with 0.75"-1.5" rear wheel spacing only.</i>		No charge
☐	TWLK8	Compact Composite Pull to Lock <i>Available with 0.75"-1.5" rear wheel spacing only.</i>		No charge
☐	TWLK10	Extension Handles for Compact Composite Push/Pull to Lock	E0961	\$ 93.00
☐	TWLK11	MBL Composite Scissor Lock		\$ 158.00
☐	TWLK12	MBL Performance Aluminum Scissor Lock		\$ 175
☐	TWLK3	Uni-Lock		\$ 179.00
		☐ Push ☐ Pull		
☐	TWLK4	Extension Handles for Uni-Lock	E0961	\$ 93.00
☐	TWLK15	Grade Aids Push to Lock <i>Not available with solid rear tires.</i>	E0974	\$ 190.00

Side Guards

☐ TSDG13	Side Guards Custom Cut to Profile of Rear Wheels Available for aluminum and carbon non-fendered side guards.		\$ 342.00
☐ CMD007	Custom Offset Profiled Side Guards (Removable or Fold-Down) Please specify desired offset to nearest 0.5" and side guards type (rigid or fold-down) in the Notes section of this order form. Side guard material must be selected. Some limitations may apply.	CMD	
☐ CMD	Fixed Side Guards CMD33 (fendered carbon fiber) or CMD73 (flat panel aluminum or carbon fiber) available. TRA also requires CMD19 (fixed back). Please visit our CMD catalogue, pricing will vary.	CMD	

Aluminum

☐ TSDG2	Aluminum Side Guards, Rigid Removable	E0956, E1034	\$ 217.00
	☐ Small ☐ Standard		
☐ TSDG14	Aluminum LT Side Guards, Rigid Removable	E0956, E1034	\$ 217
	☐ Small ☐ Standard		
☐ TSDG3	Aluminum Side Guards, Quad Removable w/Hole	E0956, E1034	\$ 233.00
	☐ Small ☐ Standard		
☐ TSDG15	Aluminum LT Side Guards, Quad Removable w/Hole	E0956, E1034	\$ 233
	☐ Small ☐ Standard		
☐ TSDG4	Aluminum Fold Down Side Guards, Rigid Not available with ergonomic seats.	E0956, E1034	\$ 363.00
	☐ Small ☐ Standard		
☐ TSDG6	Aluminum Fendered Side Guards, Adjustable 24"-25" rear wheels require rear seat height 14.5"-19.5". 26" rear wheels require rear seat height 15.5"-18.5".	E0956, E1034	\$ 363.00

2x2 Twill Weave Carbon Fiber

☐ TSDG7	Carbon Side Guards, Rigid Removable	E0956, E1034	\$ 336.00
	☐ Small ☐ Standard		
☐ TSDG16	Carbon LT Side Guards, Rigid Removable	E0956, E1034	\$ 336
	☐ Small ☐ Standard		
☐ TSDG8	Carbon Side Guards, Quad Removable w/Hole	E0956, E1034	\$ 347.00
	☐ Small ☐ Standard		
☐ TSDG17	Carbon LT Side Guards, Quad Removable w/Hole	E0956, E1034	\$ 347
	☐ Small ☐ Standard		
☐ TSDG9	Carbon Fold Down Side Guards, Rigid Not available with ergonomic seats.	E0956, E1034	\$ 499.00
	☐ Small ☐ Standard		
☐ TSDG12	Carbon Fendered Side Guards, Removable	E0956, E1034	\$ 493.00

Armrests

☐ TARM1	Swing Away Tubular Armrests Select range. Not available with non-folding fixed height titanium back or height adjustable push handles.	E0973	\$ 244.00
	☐ 6.5"-9.5" ☐ 9.5"-12.5"		
☐ TARM4	Swing Away Flip Back Tubular Armrests, 8.5"-11.5" Not available with non-folding fixed height titanium back.	E0973	\$ 342.00
☐ TARM2	Removable Height Adjustable Desk Arm with Rigid Side Guard Select range and pad size. Requires 14" minimum seat depth. Not available with ergonomic seat.	E0973	\$ 363.00
	☐ 9"-12" ☐ 12"-15"		
	☐ Desk Length (10") ☐ Full Length (14")		
☐ TARM3	Removable Height Adjustable Desk Arm with Rigid Side Guard and Transfer Loop Select range and pad size. Requires 15" minimum seat depth. Not available with ergonomic seat.	E0973	\$ 406.00
	☐ 9"-12" ☐ 12"-15"		
	☐ Desk Length (10") ☐ Full Length (14")		
☐ TARM5	Armrests Covered in Black Ultrasuede Not available with desk arms.		\$ 120.00

Positioning Belts

☐	TBLT1	Velcro Adjustable Belt, Black Nylon Webbing	E0978	\$ 61.00
☐	TBLT2	Bodypoint 2" Belt, Push-Button Buckle (Auto Style)	E0978	\$ 103.00
☐	TBLT4	Bodypoint 1" Padded Belt, Push-Button Buckle (Auto Style) <i>Not available with 19" or 20" rear seat widths.</i>	E0978	\$ 196.00
☐	TBLT5	Bodypoint 1.5" Padded Belt, Push-Button Buckle (Auto Style) <i>Not available with 19" or 20" rear seat widths.</i>	E0978	\$ 185.00
☐	TBLT10	Bodypoint Optional Band Clamp Mounting Hardware	K0108	\$ 22.00
☐	TBLT16	Bodypoint EvoFlex Pelvic Stabilizer, Push Button	E0978	\$ 201.00

Calf Straps

☐	TCLF2	Velcro Adjustable	K0038	\$ 44.00
		☐ Small (9"-12" footrest widths) ☐ Medium (11"-15" footrest widths) ☐ Large (14"-17" footrest widths) ☐ Xtra Large (16"-19" footrest widths)		
☐	TCLF3	Bodypoint Padded Velcro Adjustable	K0038	\$ 109.00
		☐ Medium (11"-15" footrest widths) ☐ Large (16"-19" footrest widths)		
☐	TCLF1	Buckle Adjustable, Black Nylon Webbing	K0038	\$ 34.00

Residual Limb Supports

☐	TRSL1	Residual Limb Support, 8"W x 10"L	E1020	\$ 428.00
		☐ Left ☐ Right		
☐	TRSL2	Residual Limb Support, 8"W x 10"L, Pair	E1020	\$ 855.00

Anti-Tips

☐	TTIP1	Rear Anti-Tips, Aluminum Black	E0971	\$ 174.00
☐	TTIP2	User Friendly Anti-Tips, Flip-Up	E0971	\$ 363.00

Accessories

☐	TGRD1	Clear Lexan Spoke Guards <i>Not available with Mag rear wheels.</i>	K0065	\$ 147.00
☐	TBCK3	Permobil Medical Necessities Backpack		\$ 103.00
☐	TPCH3	Permobil Medical Necessities Seat Pouch		\$ 66.00
☐	TPCH4	Bodypoint Mobility Bag		\$ 109.00
☐	TUEST1	Upper Extremity Support Tray <i>Requires armrests.</i>	E0950	\$ 315.00
		☐ 12"-14" seat widths ☐ 13"-15" seat widths		
☐	TLUG1	Luggage Carriers		\$ 158.00
☐	TMPCT2	Black Neoprene Impact Guards with Ultrasuede Stripe		\$ 115.00
☐	TCH1	Crutch Holder	E2207	\$ 244.00
☐	TAFP1	4" Military Service Patch		\$ 115.00
		☐ Army ☐ Navy ☐ Air Force ☐ Marines ☐ Coast Guard		

General

Permobil manufactures TiLite manual wheelchairs in a wide variety of configurations to meet the varied needs of wheelchair users. The final selection of a particular model, its options and accessories, and its measurements rests solely with the wheelchair user and the advising healthcare professional. These wheelchairs must be fitted by a qualified healthcare professional. HCPCS Codes are for reference purposes only. Actual coding and coverage varies by payer. Proper HCPCS coding is not a guarantee of payment. Please verify the appropriate payer's coverage policy. Prices, standard features, options and accessories are subject to change without notice. All rights reserved.

Notes








TiFit Reference Diagrams




TiLite TRA




TiLite TR



The rear frame for a TR will be square when the Center of Gravity H measurement is less than **3.25"**. Aero T and TRA will always be a Rounded Rear Frame.



A. Round rear frame



B. Square rear frame